

PRICE LIST

SEPTEMBER 2024



Weighing systems and solutions

▶ INDUSTRIAL ▶ LOGISTICS ▶ RETAIL ▶ PRECISION



INDEX

PICTOGRAMS

3

TECHNOLOGIES

4

PRODUCT LINES

5

INDUSTRIAL

6

GRAM

Bench scales

6

Bench platforms

14

Painted steel platform scales

36

Stainless steel platform scales

83

Aerial weighing

116

Weighing indicators

120

Weighing modules

136

ACCUREX

141

LOGISTICS

149

Volumetric weighing

149

Mobile weighing

151

RETAIL

156

PRECISION

163

PERSONAL

175

WEIGHTS

177

CERTIFICATES

183

ACCESSORIES

185

SALE CONDITIONS

195

PICTOGRAMS

► LEGAL

EC DoC



Verified model (*)



Verifiable model (*)



Internal use model (**)



OIML R-60 class C3



III Class



II Class



► FUNCTIONS

External calibration



Internal calibration



Piece counting



Animal weighing



Percentage weighing



Tolerance range



Density calculation



Suspended weighing



► CONNECTIVITY

RS-232



USB



Wireless



Ethernet



External printer



Integrated printer



Remote control



Pos terminal



Scanner



► CHARACTERISTICS

LED display



LCD display



IP-65 protection



IP-66 protection



IP-67 protection



IP-68 protection



► POWER SUPPLY

220 V



External battery



Internal battery



► MATERIALS / TREATMENTS

ABS



Stainless steel



AISI 316 stainless steel



Aluminium



Zinc treatment



Steel



Epoxy painted



3 mm plate thickness



4 mm plate thickness



5 mm plate thickness



6 mm plate thickness



(*) Instrument may be put into service for any use in legal metrology, according to Directive 2014/31/EU.

(**) Instrument may be put into service for the uses referred to in point (g) of Article 1 (2) of the Directive 2014/31/EU.

TECHNOLOGIES

▶ XTREM[®] DIGITAL WEIGHING

- Highly reliable weighing system with state-of-the-art fully digital technology.
- The XTREM[®] module is integrated into GRAM scales and allows for expanded connectivity and autonomy with multiple communication interfaces. It comes with RS232 as standard, and optionally Ethernet, Wi-Fi and RS485, making it ideal for integration into Industry 4.0 environments.
- Sending data to an indicator, a PC, a tablet or an Android smartphone is done with maximum security from the module itself, which stores all the adjustment and calibration information.



▶ ZLINK[®] DIGITAL CONNECTION

- Z Link[®] communication protocol for safe and reliable digital communication between the different modules of the modular weighing equipment.
- Z Link[®] connection cables of different lengths to adapt to the distance between modules.
- Possibility to modify the connections without the need to readjust the equipment (fully digital Z Link[®] connection).



PRODUCT LINES

GRAM Next



The ultimate innovation

Discover Next, our most advanced line. An entire R&D team integrating the most innovative technologies to develop our weighing solutions. It's a product line which objective is to integrate the weighing easily in any external service or product, in order to improve the production processes thanks to weighing metrics and easy connectivity to our products. Next offers innovative products like no other on the market.

GRAM Core



Advanced technology at everyone's reach

Designed by our experts to satisfy constant demands in industrial, logistic, commercial and precision environments, assuring accessible, precise and consistent measurements. Core guarantees reliable and advanced technology which facilitates access to weighing data in your operations. Go for efficiency within a line of products which responds to your needs without breaking the bank.

GRAM Lite



Reliability and simplicity

This line offers precision and reliability without putting a burden on your bank account. It's a family of products which is perfect for daily use in industrial, logistic, commercial and precision settings and which gives a reliable and durable efficiency. Simplify your weighing processes with an efficient product which fulfils your expectations.

ACCUREX



Reliable and affordable

This line is perfect for environments which require basic weighing solutions and a constant efficiency at an affordable cost, these scales guarantee reliable measurements and solid functioning. Simplify your weighing operations with Accurex where economy and resistance are unified to offer you the best value for money.

BENCH SCALES



GRAM ▼

▶ GRAM S3

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
6159	S3-6	6.000 g	0,5 g	250 x 197	195
6160	S3-15	15.000 g	1 g	250 x 197	195
6161	S3-30	30.000 g	2 g	250 x 197	195
70158	S3-6 RS	6.000 g	0,5 g	250 x 197	245
70153	S3-15 RS	15.000 g	1 g	250 x 197	245
70154	S3-30 RS	30.000 g	2 g	250 x 197	245

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45
32332	Tare pedal	150
32277	RS-232 output (4)	70

Ref.	Accessories (2)(3)	MSRP (€)
70034G	PR4 printer with cable and date board for S3, S5i (1)	195
71104	PR4W Printer (7)	195
70814O	Q2 label printer with cable and date board for S3, S5i (1)	270
70814N	Q2 ticket printer with cable and date board for S3, S5i (1)	270
5263B	RD3 Repeater Indicator with 4m cable for S3, S5i (1)	170
6950	RD3W Repeater Indicator (6)	230
6170A	K3 Repeater Indicator with 4m cable (1)	190
6171A	K3i Repeater Indicator with 4m cable (1)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722E	PW-Link Software (includes 4m cable to PC) for S3, S5i	250
71722G	PW-Link Software (includes USB Output)	280
36787	USB Direct cable S (1)	60
33770	USB Output (1)	80



(1) They are mutually exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(2) Compatible with RS model. They are mutually exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(3) The optional RS-232 output is required. They are mutually exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(4) Except models finished in RS.

(6) Wireless connection of K3, K3i is included.

(7) Includes WiFi board for K3/K3i.

► GRAM RZ



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
60797	RZ-6	6.000 g	0,5 g	294 x 228	195
60798	RZ-15	15.000 g	1 g	294 x 228	195
60799	RZ-30	30.000 g	2 g	294 x 228	195
10097	RZ-6RS	6.000 g	0,5 g	294 x 228	245
10098	RZ-15RS	15.000 g	1 g	294 x 228	245
10099	RZ-30RS	30.000 g	2 g	294 x 228	245

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45
36734	Bluetooth connection to PC	100

Ref.	Accessories	MSRP (€)
70034E	PR4 printer with cable for RZ, RK	220
70814K	Q2 ticket printer with cable for RZ, RK	270
36759	RS-232 to PC cable	50
60806	U.KEY (USB) cable (RK, RZ)	70



► GRAM MM



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
60718	MM-6000	6.000 g	1 g	176 x 176	59

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45



▶ GRAM CM

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
4511	CM-3	3.000 g	0,1 g	310 x 220	178
60888	CM-6	6.000 g	0,2 g	310 x 220	178
4513	CM-15	15.000 g	0,5 g	310 x 220	178
4514	CM-30	30.000 g	1 g	310 x 220	178

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
70034C	PR4 printer with cable for CM	180
70814E	Q2 ticket printer with cable for CM	250
71722A	PW-Link Software (including PC cable for CM)	270
60210	3 light LED column with relay board	220
36767	RS-232 to PC cable	50



► GRAM RK

GRAM Core



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
60801	RK-3	3.000 g	0,2 g	294 x 228	209
60802	RK-6	6.000 g	0,5 g	294 x 228	209
60803	RK-15	15.000 g	1 g	294 x 228	209
60804	RK-30	30.000 g	2 g	294 x 228	209

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45
60805	RS-232 output	50
36734	Bluetooth connection to PC	100

Ref.	Accessories	MSRP (€)
70034E	PR4 printer with cable for RZ, RK	220
70814K	Q2 ticket printer with cable for RZ, RK	270
36759	RS-232 to PC cable	50
60806	U.KEY cable (USB) (RK, RZ)	70



► GRAM CK

GRAM Lite



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
4515	CK-3	3.000 g	0,1 g	310 x 220	178
4516	CK-6	6.000 g	0,2 g	310 x 220	178
60889	CK-15	15.000 g	0,5 g	310 x 220	178
4518	CK-30	30.000 g	1 g	310 x 220	178

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
70034C	PR4 printer with cable for CK	180
70814E	Q2 ticket printer with cable for CK	250
71722A	PW-Link Software (including PC cable for CK)	270
36767	RS-232 to PC cable	50



▶ GRAM VK

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
72105	VK-6	6.000 g	0,2 g	309 x 252	450
72106	VK-15	15.000 g	0,5 g	309 x 252	450
72107	VK-30	30.000 g	1 g	309 x 252	450

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
60563	RS232C data output for VK	65



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
4639	VK-6 F1-60	60 kg	0,2 g	400 x 300	690
4640	VK-6 F2-60	60 kg	0,2 g	500 x 400	750
4641	VK-6 F2-150	150 kg	0,2 g	500 x 400	750
4642	VK-6 F3-150	150 kg	0,2 g	650 x 500	970

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
4643	VK-6 Tortuga SL-300	300 kg	0,2 g	800 x 800	920
4644	VK-6 Tortuga ML-600	600 kg	0,2 g	1000 x 800	980
4645	VK-6 Tortuga GL-600	600 kg	0,2 g	1000 x 1000	995

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
4656	VK-6 Scorpion 1,5T	1.500 kg	0,2 g	925 x 1200	1.040

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
4646	VK-6 Bengal 1210-600	600 kg	0,2 g	1200 x 1000	1.180
4649	VK-6 Bengal 1212-1,5T	1.500 kg	0,2 g	1200 x 1200	1.200
4651	VK-6 Bengal 1512-1,5T	1.500 kg	0,2 g	1500 x 1200	1.240
4652	VK-6 Bengal 1515-3T	3.000 kg	0,2 g	1500 x 1500	1.330

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
4653	VK-6 Penguin EP 1,5T	1.500 kg	0,2 g	1600 x 900	1.560
4654	VK-6 Penguin 1212-1,5T	1.500 kg	0,2 g	1200 x 1200	1.470
4655	VK-6 Penguin 1515-1,5T	1.500 kg	0,2 g	1500 x 1500	1.650



► GRAM S5i



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
60727	S5i-6	6.000 g	0,5 g	290 x 210	375
60728	S5i-15	15.000 g	1 g	290 x 210	375
60729	S5i-30	30.000 g	2 g	290 x 210	375
70249	S5i-6 RS	6.000 g	0,5 g	290 x 210	395
70151	S5i-15 RS	15.000 g	1 g	290 x 210	395
70152	S5i-30 RS	30.000 g	2 g	290 x 210	395

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45
32332	Tare pedal	150
32330	3 Relays board	100
32277	RS-232 output (4)	70

Ref.	Accessories (2)	MSRP (€)
708140	Q2 label printer with cable and date board for S3, S5i (1)	270
70814N	Q2 ticket printer with cable and date board for S3, S5i (1)	270
5263B	RD3 Repeater Indicator with 4m cable for S3, S5i (1)	170
6950	RD3W Repeater Indicator (6)	230
6170A	K3 Repeater Indicator with 4m cable (1)	190
6171A	K3i Repeater Indicator with 4m cable (1)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722E	PW-Link Software (includes 4m cable to PC) for S3, S5i	250
71722G	PW-Link Software (includes USB Output)	280
36787	USB Direct cable S (1)	60
33770	USB Output (1)	80

(1) They are mutually exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(2) Compatible with RS model. They are mutually exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(4) Except models finished in RS.

(6) Wireless connection of K3, K3i is included.

(7) Includes WiFi board for K3/K3i.



▶ GRAM GX

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
4576	GX-6000	6.000 g	0,5 g	225 x 185	175
4577	GX-15K	15.000 g	1 g	225 x 185	175
4578	GX-30K	30.000 g	2 g	225 x 185	175

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45



▶ GRAM DX

Ref.	Model	M	Capacity	Readability	Pan size (mm)	MSRP (€)
71143	DX-3		3.000 g	1 g	236 x 197	455
71144	DX-6		6.000 g	2 g	236 x 197	455
71145	DX-15		15.000 g	5 g	236 x 197	455
71146	DX-30		30.000 g	10 g	236 x 197	455

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45



BENCH PLATFORMS



▶ GRAM XTREM F

[1/2]

GRAM Next



▶ Xtrem module included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
70552	Xtrem F0-5	3/5 kg	1/2 g	300 x 240	255
71051	Xtrem F0-6	6 kg	1 g	300 x 240	228
71052	Xtrem F0-15	15 kg	2 g	300 x 240	228
71053	Xtrem F0-30	30 kg	5 g	300 x 240	228
71054	Xtrem F1-15	15 kg	2 g	400 x 300	250
71055	Xtrem F1-30	30 kg	5 g	400 x 300	250
71056	Xtrem F1-60	60 kg	10 g	400 x 300	250
71057	Xtrem F1-150	150 kg	20 g	400 x 300	250
71058	Xtrem F2-30	30 kg	5 g	500 x 400	298
71059	Xtrem F2-60	60 kg	10 g	500 x 400	298
71060	Xtrem F2-150	150 kg	20 g	500 x 400	298
71061	Xtrem F3-150	150 kg	20 g	650 x 500	530
71062	Xtrem F3-300	300 kg	50 g	650 x 500	530
71063	Xtrem F4-150	150 kg	20 g	800 x 600	595
71064	Xtrem F4-300	300 kg	50 g	800 x 600	595
71065	Xtrem F4-600	600 kg	100 g	800 x 600	595

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32391	Z-Link S Connection 4,5m	45
32392	Z-Link S Connection 8m	65
32393	Z-Link S Connection 15m	155
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8023	ISOCAL certificate from 0,01 g to 30 kg	45
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80

Ref.	Indicator Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40



▶ GRAM XTREM F

(2/2)

Ref.	Platform Accessories	MSRP (€)
70322	Support table F1	150
70323	Support table F2	170
70324	Support table F3	240
70322A	Support table with wheels for platform F1	195
70323A	Support table with wheels for platform F2	220
70324A	Support table with wheels for platform F3	290
60968	Set of 4 wheels for platform or table	50
70046	RF-2 Stainless steel sack weighing support for F2 / X2	230
70047	RF-3 Stainless steel sack weighing support for F3 / X3	290

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3X, K3iX, K3W, K3iW (2)	190
70814A	Q2 label printer with cable for K3X, K3iX, K3W, K3iW (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX, K3W, K3iW (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3W, K3iW (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80

Ref.	Indicator Columns and Supports	MSRP (€)
70306A	RPS stainless steel column for K3X, K3W (F0, F1, F2, F3, F4)	50
70306B	RPS stainless steel column for K3iX, K3iW, K3iX P (F0, F1, F2, F3, F4)	70
70307A	RPM stainless steel column for K3X, K3W (F1, F2, F3, F4)	50
70307B	RPM stainless steel column for K3iX, K3iW, K3iX P (F1, F2, F3, F4)	70
70308A	RPL stainless steel column for K3X, K3W (F2, F3, F4)	60
70308B	RPL stainless steel column for K3iX, K3iW, K3iX P (F2, F3, F4)	70
3800A	Painted steel column Rabbit RP with 4 wheels for K3X, K3W (F2, F3, F4)	90
3800B	Painted steel column Rabbit RP with 4 wheels for K3iX, K3iW, K3iX P (F2, F3, F4)	100
70438	Bench-type support for K3X, K3W	40
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40



Optional Rabbit painted steel column with 4 wheels.



Columns shape
R: round

Material of column
P: painted steel

Columns height
S: 300mm
M: 500mm
L: 700mm

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM XTREM F HR

(1/2)



▶ Xtrem module included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
70559	Xtrem F0-8 HR	8 kg	0,1 g	300 x 240	395
70560	Xtrem F0-15 HR	15 kg	0,2 g	300 x 240	440
70561	Xtrem F0-30 HR	30 kg	0,5 g	300 x 240	440
70562	Xtrem F0-50 HR	50 kg	1 g	300 x 240	440
70563	Xtrem F1-30 HR	30 kg	0,5 g	400 x 300	460
70564	Xtrem F1-50 HR	50 kg	1 g	400 x 300	460
70565	Xtrem F1-100 HR	100 kg	2 g	400 x 300	460
70566	Xtrem F2-50 HR	50 kg	1 g	500 x 400	520
70567	Xtrem F2-100 HR	100 kg	2 g	500 x 400	520
70568	Xtrem F2-200 HR	200 kg	5 g	500 x 400	520
70569	Xtrem F3-200 HR	200 kg	5 g	650 x 500	745
70570	Xtrem F3-600 HR	600 kg	10 g	650 x 500	745
70571	Xtrem F4-200 HR	200 kg	5 g	800 x 600	795
70572	Xtrem F4-600 HR	600 kg	10 g	800 x 600	795

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32391	Z-Link S Connection 4,5m	45
32392	Z-Link S Connection 8m	65
32393	Z-Link S Connection 15m	155
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8023	ISOCAL certificate from 0,01 g to 30 kg	45
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80

Ref.	Indicator Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40



▶ GRAM XTREM F HR

(2/2)

Ref.	Platform Accessories	MSRP (€)
70322	Support table F1	150
70323	Support table F2	170
70324	Support table F3	240
70322A	Support table with wheels for platform F1	195
70323A	Support table with wheels for platform F2	220
70324A	Support table with wheels for platform F3	290
60968	Set of 4 wheels for platform or table	50
70046	RF-2 Stainless steel sack weighing support for F2 / X2	230
70047	RF-3 Stainless steel sack weighing support for F3 / X3	290

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3X, K3iX, K3W, K3iW (2)	190
70814A	Q2 label printer with cable for K3X, K3iX, K3W, K3iW (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX, K3W, K3iW (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3W, K3iW (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80

Ref.	Indicator Columns and Supports	MSRP (€)
70306A	RPS stainless steel column for K3X, K3W (F0, F1, F2, F3, F4)	50
70306B	RPS stainless steel column for K3iX, K3iW, K3iX P (F0, F1, F2, F3, F4)	70
70307A	RPM stainless steel column for K3X, K3W (F1, F2, F3, F4)	50
70307B	RPM stainless steel column for K3iX, K3iW, K3iX P (F1, F2, F3, F4)	70
70308A	RPL stainless steel column for K3X, K3W (F2, F3, F4)	60
70308B	RPL stainless steel column for K3iX, K3iW, K3iX P (F2, F3, F4)	70
3800A	Painted steel column Rabbit RP with 4 wheels for K3X, K3W (F2, F3, F4)	90
3800B	Painted steel column Rabbit RP with 4 wheels for K3iX, K3iW, K3iX P (F2, F3, F4)	100
70438	Bench-type support for K3X, K3W	40
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40



Optional Rabbit column painted steel with 4 wheels.



Columns shape
R: round

Material of column
P: painted steel

Columns height
S: 300mm
M: 500mm
L: 700mm

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM XTREM F - M

(1/2)

GRAM Next



▶ Xtrem module included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
70552M	Xtrem F0-5		3/5	1/2	300 x 240	315
71051M	Xtrem F0-6		6	2	300 x 240	295
71053M	Xtrem F0-30		15 / 30	5 / 10	300 x 240	295
71055M	Xtrem F1-30		15 / 30	5 / 10	400 x 300	320
71056M	Xtrem F1-60		30 / 60	10 / 20	400 x 300	320
71057M	Xtrem F1-150		60 / 150	20 / 50	400 x 300	320
71058M	Xtrem F2-30		15 / 30	5 / 10	500 x 400	375
71059M	Xtrem F2-60		30 / 60	10 / 20	500 x 400	375
71060M	Xtrem F2-150		60 / 150	20 / 50	500 x 400	375
71061M	Xtrem F3-150		60 / 150	20 / 50	650 x 500	605
71062M	Xtrem F3-300		300	100	650 x 500	605
71063M	Xtrem F4-150		60 / 150	20 / 50	800 x 600	695
71065M	Xtrem F4-600		300 / 600	100 / 200	800 x 600	695

Ref.	Options	M	MSRP (€)
6210	Z8i indicator	M	1.340
72098	K3X indicator	M	120
72099	K3iX indicator	M	220
72100	K3iX P indicator	M	450
72026A	PC Xtrem software (includes self-powered PC cable)	M	70
33819A	Xtrem App for Android (including WiFi connection and power cable)		130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)		195
32391	Z-Link S Connection 4,5m		45
32392	Z-Link S Connection 8m		65
32393	Z-Link S Connection 15m		155
71683	WiFi connection (1)		60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)		130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)		195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)		195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App		390
8023	ISOCAL certificate from 0,01 g to 30 kg		45
8024	ISOCAL certificate from 31 kg to 300 kg		58
8025	ISOCAL certificate from 301 kg to 600 kg		80

Ref.	Indicator Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150



▶ GRAM XTREM F - M

(2/2)

Ref.	Platform Accessories	MSRP (€)
70322	Support table F1	150
70323	Support table F2	170
70324	Support table F3	240
70322A	Support table with wheels for platform F1	195
70323A	Support table with wheels for platform F2	220
70324A	Support table with wheels for platform F3	290
60968	Set of 4 wheels for platform or table	50
70046	RF-2 Stainless steel sack weighing support for F2 / X2	230
70047	RF-3 Stainless steel sack weighing support for F3 / X3	290

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3X, K3iX (2)	190
70814A	Q2 label printer with cable for K3X, K3iX (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80

Ref.	Indicator Columns and Supports	MSRP (€)
70306A	RPS stainless steel column for K3X (F0, F1, F2, F3, F4)	50
70306B	RPS stainless steel column for K3iX, K3iX P (F0, F1, F2, F3, F4)	70
70307A	RPM stainless steel column for K3X, (F1, F2, F3, F4)	50
70307B	RPM stainless steel column for K3iX, K3iX P (F1, F2, F3, F4)	70
70308A	RPL stainless steel column for K3X (F2, F3, F4)	60
70308B	RPL stainless steel column for K3iX, K3iX P (F2, F3, F4)	70
3800A	Painted steel column Rabbit RP with 4 wheels for K3X (F2, F3, F4)	90
3800B	Painted steel column Rabbit RP with 4 wheels for K3iX, K3iX P (F2, F3, F4)	100
70438	Bench-type support for K3X	40
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40



Optional Rabbit column painted steel with 4 wheels.



Columns shape
R: round

Material of column
P: painted steel

Columns height
S: 300mm
M: 500mm
L: 700mm

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM XTREM X

[1/2]

GRAM Next



▶ Xtrem module included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71066	Xtrem X0-6	6 kg	2 g	300 x 240	340
71067	Xtrem X0-15	15 kg	5 g	300 x 240	340
71068	Xtrem X0-30	15 / 30 kg	5 / 10 g	300 x 240	340
71069	Xtrem X1-15	15 kg	5 g	400 x 300	395
71070	Xtrem X1-30	15 / 30 kg	5 / 10 g	400 x 300	395
71071	Xtrem X1-60	30 / 60 kg	10 / 20 g	400 x 300	395
71072	Xtrem X1-150	60 / 150 kg	20 / 50 g	400 x 300	395
71073	Xtrem X2-30	15 / 30 kg	5 / 10 g	500 x 400	520
71074	Xtrem X2-60	30 / 60 kg	10 / 20 g	500 x 400	520
71075	Xtrem X2-150	60 / 150 kg	20 / 50 g	500 x 400	520
71076	Xtrem X3-150	60 / 150 kg	20 / 50 g	650 x 500	660
71077	Xtrem X3-300	300 kg	100 g	650 x 500	660
71078	Xtrem X4-150	60 / 150 kg	20 / 50 g	800 x 600	760
71078	Xtrem X4-300	300 kg	50 g	800 x 600	760
71080	Xtrem X4-600	300 / 600 kg	100 / 200 g	800 x 600	760

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32391	Z-Link S Connection 4,5m	45
32392	Z-Link S Connection 8m	65
32393	Z-Link S Connection 15m	155
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8023	ISOCAL certificate from 0,01 g to 30 kg	45
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80

Ref.	Indicator Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40



Ref.	Platform Accessories	MSRP (€)
70046	RF-2 Stainless steel sack weighing support for F2 / X2	230
70047	RF-3 Stainless steel sack weighing support for F3 / X3	290

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3X, K3iX, K3W, K3iW (2)	190
70814A	Q2 label printer with cable for K3X, K3iX, K3W, K3iW (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX, K3W, K3iW (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3W, K3iW (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80

Ref.	Indicator Columns and Supports	MSRP (€)
70303A	RXS stainless steel column for K3X, K3W (X0, X1, X2, X3, X4)	100
70303B	RXS stainless steel column for K3iX, K3iW, K3iX P (X0, X1, X2, X3, X4)	120
70304A	RXM stainless steel column for K3X, K3W (X1, X2, X3, X4)	130
70304B	RXM stainless steel column for K3iX, K3iW, K3iX P (X1, X2, X3, X4)	150
70305A	RXL stainless steel column for K3X, K3W (X2, X3, X4)	130
70305B	RXL stainless steel column for K3iX, K3iW, K3iX P (X2, X3, X4)	150
70300	QXS stainless steel column for K3X, K3W, K3iX, K3iW, K3iX P (X0, X1, X2)	70
70301	QXM stainless steel column for K3X, K3W, K3iX, K3iW, K3iX P (X0, X1, X2)	90
70302	QXL stainless steel column for K3X, K3W, K3iX, K3iW, K3iX P (X3, X4)	140
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

**Columns shape**

R: round

Q: rectangular

Material of column

X: stainless steel

Columns height

S: 300mm

M: 500mm

L: 700mm

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM XTREM X - M

(1/2)

GRAM  Next

▶ Xtrem module included.








▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71066M	Xtrem X0-6		6	2	300 x 240	460
71068M	Xtrem X0-30		15 / 30	5 / 10	300 x 240	460
71070M	Xtrem X1-30		15 / 30	5 / 10	400 x 300	490
71071M	Xtrem X1-60		30 / 60	10 / 20	400 x 300	490
71072M	Xtrem X1-150		60 / 150	20 / 50	400 x 300	490
71073M	Xtrem X2-30		15 / 30	5 / 10	500 x 400	635
71074M	Xtrem X2-60		30 / 60	10 / 20	500 x 400	635
71075M	Xtrem X2-150		60 / 150	20 / 50	500 x 400	635
71076M	Xtrem X3-150		60 / 150	20 / 50	650 x 500	880
71077M	Xtrem X3-300		300	100	650 x 500	880
71078M	Xtrem X4-150		60 / 150	20 / 50	800 x 600	980
71080M	Xtrem X4-600		300 / 600	100 / 200	800 x 600	980

Ref.	Options	MSRP (€)
6210	Z8i indicator 	1.340
72098	K3X indicator 	120
72099	K3iX indicator 	220
72100	K3iX P indicator 	450
72026A	PC Xtrem software (includes self-powered PC cable) 	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32391	Z-Link S Connection 4,5m	45
32392	Z-Link S Connection 8m	65
322393	Z-Link S Connection 15m	155
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8023	ISOICAL certificate from 0,01 g to 30 kg	45
8024	ISOICAL certificate from 31 kg to 300 kg	58
8025	ISOICAL certificate from 301 kg to 600 kg	80

Ref.	Indicator Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150



▶ GRAM XTREM X - M

(2/2)

Ref.	Platform Accessories	MSRP (€)
70046	RF-2 Stainless steel sack weighing support for F2 / X2	230
70047	RF-3 Stainless steel sack weighing support for F3 / X3	290

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3X, K3iX (2)	190
70814A	Q2 label printer with cable for K3X, K3iX (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80

Ref.	Indicator Columns and Supports	MSRP (€)
70303A	RXS stainless steel column for K3X (X0, X1, X2, X3, X4)	100
70303B	RXS stainless steel column for K3iX, K3iX P (X0, X1, X2, X3, X4)	120
70304A	RXM stainless steel column for K3X (X1, X2, X3, X4)	130
70304B	RXM stainless steel column for K3iX, K3iX P (X1, X2, X3, X4)	150
70305A	RXL stainless steel column for K3X (X2, X3, X4)	130
70305B	RXL stainless steel column for K3iX, K3iX P (X2, X3, X4)	150
70300	QXS stainless steel column for K3X, K3iX, K3iX P (X0, X1, X2)	70
70301	QXM stainless steel column for K3X, K3iX, K3iX P (X0, X1, X2)	90
70302	QXL stainless steel column for K3X, K3iX, K3iX P (X3, X4)	140
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40



Columns shape
R: round
Q: rectangular

Material of column
X: stainless steel

Columns height
S: 300mm
M: 500mm
L: 700mm

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM XTREM XS

[1/2]

GRAM Next



▶ Xtrem module included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71986	Xtrem X25-30	30 kg	5 g	500 x 400	490
71987	Xtrem X25-60	60 kg	10 g	500 x 400	490
71988	Xtrem X25-150	150 kg	20 g	500 x 400	490
71989	Xtrem X35-150	150 kg	20 g	650 x 500	690
71990	Xtrem X35-300	300 kg	50 g	650 x 500	690
71991	Xtrem X45-150	150 kg	20 g	800 x 600	770
71992	Xtrem X45-300	300 kg	50 g	800 x 600	770
71993	Xtrem X256-30	30 kg	5 g	500 x 400	565
71994	Xtrem X256-60	60 kg	10 g	500 x 400	565
71995	Xtrem X256-150	150 kg	20 g	500 x 400	565
71996	Xtrem X356-150	150 kg	20 g	650 x 500	850
71997	Xtrem X356-300	300 kg	50 g	650 x 500	850

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32391	Z-Link S Connection 4,5m	45
32392	Z-Link S Connection 8m	65
32393	Z-Link S Connection 15m	155
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8023	ISOCAL certificate from 0,01 g to 30 kg	45
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80

Ref.	Indicator Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40



Ref.	Platform Accessories	MSRP (€)
70046	RF-2 Stainless steel sack weighing support for F2 / X2	230
70047	RF-3 Stainless steel sack weighing support for F3 / X3	290

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3X, K3iX, K3W, K3iW (2)	190
70814A	Q2 label printer with cable for K3X, K3iX, K3W, K3iW (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX, K3W, K3iW (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3W, K3iW (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80

Ref.	Indicator Columns and Supports	MSRP (€)
70303A	RXS stainless steel column for K3X, K3W (X0, X1, X2, X3, X4)	100
70303B	RXS stainless steel column for K3iX, K3iW, K3iX P (X0, X1, X2, X3, X4)	120
70304A	RXM stainless steel column for K3X, K3W (X1, X2, X3, X4)	130
70304B	RXM stainless steel column for K3iX, K3iW, K3iX P (X1, X2, X3, X4)	150
70305A	RXL stainless steel column for K3X, K3W (X2, X3, X4)	130
70305B	RXL stainless steel column for K3iX, K3iW, K3iX P (X2, X3, X4)	150
70300	QXS stainless steel column for K3X, K3W, K3iX, K3iW, K3iX P (X0, X1, X2)	70
70301	QXM stainless steel column for K3X, K3W, K3iX, K3iW, K3iX P (X0, X1, X2)	90
70302	QXL stainless steel column for K3X, K3W, K3iX, K3iW, K3iX P (X3, X4)	140
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

**Columns shape**

R: round
Q: rectangular

Material of column

X: stainless steel

Columns height

S: 300mm
M: 500mm
L: 700mm

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM XTREM XS - M

(1/2)



Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71986M	Xtrem X25-30		15 / 30	5 / 10	500 x 400	595
71987M	Xtrem X25-60		30 / 60	10 / 20	500 x 400	595
71988M	Xtrem X25-150		60 / 150	20 / 50	500 x 400	595
71989M	Xtrem X35-150		60 / 150	20 / 50	650 x 500	820
71990M	Xtrem X35-300		150 / 300	50 / 100	650 x 500	820
71991M	Xtrem X45-150		60 / 150	20 / 50	800 x 600	890
71992M	Xtrem X45-300		150 / 300	50 / 100	800 x 600	890
71993M	Xtrem X256-30		15 / 30	5 / 10	500 x 400	720
71994M	Xtrem X256-60		30 / 60	10 / 20	500 x 400	720
71995M	Xtrem X256-150		60 / 150	20 / 50	500 x 400	720
71996M	Xtrem X356-150		60 / 150	20 / 50	650 x 500	990
71997M	Xtrem X356-300		150 / 300	50 / 100	650 x 500	990



▶ Xtrem module included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Options	MSRP (€)
6210	Z8i indicator	M 1.340
72098	K3X indicator	M 120
72099	K3iX indicator	M 220
72100	K3iX P indicator	M 450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32391	Z-Link S Connection 4,5m	45
32392	Z-Link S Connection 8m	65
322393	Z-Link S Connection 15m	155
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8023	ISOCAL certificate from 0,01 g to 30 kg	45
8024	ISOCAL certificate from 31 kg to 300 kg	58

Ref.	Indicator Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150



▶ GRAM XTREM XS - M

(2/2)

Ref.	Platform Accessories	MSRP (€)
70046	RF-2 Stainless steel sack weighing support for F2 / X2	230
70047	RF-3 Stainless steel sack weighing support for F3 / X3	290

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3X, K3iX (2)	190
70814A	Q2 label printer with cable for K3X, K3iX (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80

Ref.	Indicator Columns and Supports	MSRP (€)
70303A	RXS stainless steel column for K3X (X0, X1, X2, X3, X4)	100
70303B	RXS stainless steel column for K3iX, K3iX P (X0, X1, X2, X3, X4)	120
70304A	RXM stainless steel column for K3X (X1, X2, X3, X4)	130
70304B	RXM stainless steel column for K3iX, K3iX P (X1, X2, X3, X4)	150
70305A	RXL stainless steel column for K3X (X2, X3, X4)	130
70305B	RXL stainless steel column for K3iX, K3iX P (X2, X3, X4)	150
70300	QXS stainless steel column for K3X, K3iX, K3iX P (X0, X1, X2)	70
70301	QXM stainless steel column for K3X, K3iX, K3iX P (X0, X1, X2)	90
70302	QXL stainless steel column for K3X, K3iX, K3iX P (X3, X4)	140
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

**Columns shape**

R: round

Q: rectangular

Material of column

X: stainless steel

Columns height

S: 300mm

M: 500mm

L: 700mm

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM K3 F

(1/2)

GRAM Core



Ref.	Model	Cap.	Res.	Pan size (mm)	MSRP (€)
70231	K3 F0-30	30 kg	5 g	300 x 240	214
70240	K3 F3-300	300 kg	50 g	650 x 500	391
70241	K3 F4-150	150 kg	20 g	800 x 600	455

Ref.	Options	MSRP (€)
6171	Indicator K3i	220
60960	Indicator K3i P	380
60136	Indicator K4i	350
8023	ISOCAL certificate from 0,01 g to 30 kg	45
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80



▶ Indicator included.

Ref.	Options for K3, K3i	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40
32277	RS-232 second output	70



Ref.	Platform Accessories	MSRP (€)
70322	Support table F1	150
70323	Support table F2	170
70324	Support table F3	240
70322A	Support table with wheels for platform F1	195
70323A	Support table with wheels for platform F2	220
70324A	Support table with wheels for platform F3	290
60968	Set of 4 wheels for platform or table	50
70046	RF-2 Stainless steel sack weighing support for F2 / X2	230
70047	RF-3 Stainless steel sack weighing support for F3 / X3	290

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (1)	190
70814A	Q2 label printer with cable for K3, K3i (1)	250
70814B	Q2 ticket printer with cable for K3, K3i (1)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (1)	170
6950	RD3W Repeater Indicator (6)	230
6170A	K3 Repeater Indicator with 4m cable (1)	190
6171A	K3i Repeater Indicator with 4m cable (1)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (1)	60
33770	USB Output (1)	80

Ref.	Indicator Columns and Supports	MSRP (€)
70306A	RPS stainless steel column for K3, Z3 (F0, F1, F2, F3, F4)	50
70306B	RPS stainless steel column for K3i, K3i P (F0, F1, F2, F3, F4)	70
70307A	RPM stainless steel column for K3, Z3 (F1, F2, F3, F4)	50
70307B	RPM stainless steel column for K3i, K3i P (F1, F2, F3, F4)	70
70308A	RPL stainless steel column for K3, Z3 (F2, F3, F4)	60
70308B	RPL stainless steel column for K3i, K3i P (F2, F3, F4)	70
3800A	Painted steel column Rabbit RP with 4 wheels for K3, Z3 (F2, F3, F4)	90
3800B	Painted steel column Rabbit RP with 4 wheels for K3i, K3i P (F2, F3, F4)	100
70438	Bench-type support for K3	40
3804X	CS-1 Painted steel floor stand with stainless steel column for K3, Z3	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3i, K3i P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3, Z3	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3i, K3i P	420
71337	CS-1 S Stainless steel floor stand with stainless steel column K4i	390
32278	Stainless steel U wall support (K3, K3i, K3i P)	30
31661	Painted steel wall support with ABS swivel base (K3, Z3)	40



Optional Rabbit column painted steel with 4 wheels.



Columns shape
R: round

Material of column
P: painted steel

Columns height
S: 300mm
M: 500mm
L: 700mm

(1) They are mutually exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(6) Wireless connection of K3, K3i is included.

(7) Includes WiFi board for K3/K3i.

▶ GRAM K3i X

(1/2)

GRAM Core



Ref.	Model	Cap.	Res.	Pan size (mm)	MSRP (€)
70285	K3i X0-6	6 kg	1 g	300 x 240	390
70286	K3i X0-15	15 kg	2 g	300 x 240	390
70287	K3i X0-30	30 kg	5 g	300 x 240	390
70288	K3i X1-15	15 kg	2 g	400 x 300	450
70295	K3i X3-150	150 kg	20 g	650 x 500	750
70296	K3i X3-300	300 kg	50 g	650 x 500	750
70297	K3i X4-150	150 kg	20 g	800 x 600	850
70298	K3i X4-300	300 kg	50 g	800 x 600	850
70299	K3i X4-600	600 kg	100 g	800 x 600	850

Ref.	Options	MSRP (€)
60960	Indicator K3i P	380
60136	Indicator K4i	350
8023	ISOCAL certificate from 0,01 g to 30 kg	45
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80

Ref.	Options for K3, K3i	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40
32277	RS-232 second output	70



GRAM K3i

▶ Indicator included.



Ref.	Platform Accessories	MSRP (€)
70046	RF-2 Stainless steel sack weighing support for F2 / X2	230
70047	RF-3 Stainless steel sack weighing support for F3 / X3	290

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (1)	190
70814A	Q2 label printer with cable for K3, K3i (1)	250
70814B	Q2 ticket printer with cable for K3, K3i (1)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (1)	170
6950	RD3W Repeater Indicator (6)	230
6170A	K3 Repeater Indicator with 4m cable (1)	190
6171A	K3i Repeater Indicator with 4m cable (1)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (1)	60
33770	USB Output (1)	80

Ref.	Indicator Columns and Supports	MSRP (€)
70303A	RXS stainless steel column for K3, Z3 (X0, X1, X2, X3, X4)	100
70303B	RXS stainless steel column for K3iX, K3iW, K3iX P (X0, X1, X2, X3, X4)	120
70304A	RXM stainless steel column for K3, Z3 (X1, X2, X3, X4)	130
70304B	RXM stainless steel column for K3iX, K3iW, K3iX P (X1, X2, X3, X4)	150
70305A	RXL stainless steel column for K3, Z3 (X2, X3, X4)	130
70305B	RXL stainless steel column for K3iX, K3iW, K3iX P (X2, X3, X4)	150
70300	QXS stainless steel column for K3, K3i, K3i P, Z3 (X0, X1, X2)	70
70301	QXM stainless steel column for K3, K3i, K3i P, Z3 (X0, X1, X2)	90
70302	QXL stainless steel column for K3, K3i, K3i P, Z3 (X3, X4)	140
3804X	CS-1 Painted steel floor stand with stainless steel column for K3, Z3	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3i, K3i P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3, Z3	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3i, K3i P	420
71337	CS-1 S Stainless steel floor stand with stainless steel column K4i	390
32278	Stainless steel U wall support (K3, K3i, K3i P)	30
31661	Painted steel wall support with ABS swivel base (K3, Z3)	40

**Columns shape**

R: round
Q: rectangular

Material of column

P: painted steel
X: stainless steel

Columns height

S: 300mm
M: 500mm
L: 700mm

(1) They are mutually exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(6) Wireless connection of K3, K3i is included.

(7) Includes WiFi board for K3/K3i.

▶ GRAM Z3T



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
70165	Z3T F0-6	6 kg	1 g	300 x 240	155
70166	Z3T F0-15	15 kg	2 g	300 x 240	155
70167	Z3T F0-30	30 kg	5 g	300 x 240	155
70168	Z3T F1-15	15 kg	2 g	400 x 300	165
70169	Z3T F1-30	30 kg	5 g	400 x 300	165
70170	Z3T F1-60	60 kg	10 g	400 x 300	165
70171	Z3T F1-150	150 kg	20 g	400 x 300	165
70172	Z3T F2-30	30 kg	5 g	500 x 400	198
70173	Z3T F2-60	60 kg	10 g	500 x 400	198
70174	Z3T F2-150	150 kg	20 g	500 x 400	198

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45
8024	ISOCAL certificate from 31 kg to 300 kg	58

Ref.	Accessories	MSRP (€)
70322	Support table F1	150
70323	Support table F2	170
70322A	Support table with wheels for platform F1	195
70323A	Support table with wheels for platform F2	220
60968	Set of 4 wheels for platform or table	50
70034F	PR4 printer with cable for Z3, Z3T con cable de 1,5m (1)	180
70814F	Q2 label printer with cable for Z3 (1)	250
70814G	Q2 ticket printer with cable for Z3 (1)	250
5263F	RD3 Repeater Indicator with 4m cable for Z3, Z3T, Zmissil (1)	170
71093F	Z3 repeater indicator for connection to Z3 equipment with 4m cable (1)	160
3792B	EX-Link software (includes cable to PC Z)	70
71722F	PW-Link Software (includes cable to PC Z)	270
36786	USB Direct cable Z	60



(1) They are exclusive, only one of them can be used.

▶ GRAM ZMissil

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
70175	ZMISSIL F1-30	30 kg	5 g	400 x 300	185
70176	ZMISSIL F1-60	60 kg	10 g	400 x 300	185
70177	ZMISSIL F1-150	150 kg	20 g	400 x 300	185
70178	ZMISSIL F2-60	60 kg	10 g	500 x 400	250
70179	ZMISSIL F2-150	150 kg	20 g	500 x 400	250
70181	ZMISSIL F3-150	150 kg	20 g	650 x 500	380
70182	ZMISSIL F3-300	300 kg	50 g	650 x 500	380
70183	ZMISSIL F4-150	150 kg	20 g	800 x 600	450
70184	ZMISSIL F4-300	300 kg	50 g	800 x 600	450
70185	ZMISSIL F4-600	600 kg	100 g	800 x 600	450

Ref.	Options	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45
8024	ISOICAL certificate from 31 kg to 300 kg	58
8025	ISOICAL certificate from 301 kg to 600 kg	80

Ref.	Accessories	MSRP (€)
70322	Support table F1	150
70323	Support table F2	170
70324	Support table F3	240
70322A	Support table with wheels for platform F1	195
70323A	Support table with wheels for platform F2	220
70324A	Support table with wheels for platform F3	290
60968	Set of 4 wheels for platform or table	50
70046	RF-2 Stainless steel sack weighing support for F2 / X2	230
70047	RF-3 Stainless steel sack weighing support for F3 / X3	290
70034F	PR4 printer with cable for Z3, Z3T con cable de 1,5m (1)	180
70814F	Q2 label printer with cable for Z3 (1)	250
70814G	Q2 ticket printer with cable for Z3 (1)	250
5263F	RD3 Repeater Indicator with 4m cable for Z3, Z3T, Zmissil (1)	170
71093F	Z3 repeater indicator for connection to Z3 equipment with 4m cable (1)	160
3792B	EX-Link software (includes cable to PC Z)	70
71722F	PW-Link Software (includes cable to PC Z)	270
36786	USB Direct cable Z	60



(1) They are exclusive, only one of them can be used.

► GRAM Pluto

GRAM Core



► Indicator included.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
6497	K3 300-PL	300 kg	100 g	900 x 500	475

Ref.	Options	MSRP (€)
8024	ISOCAL certificate from 31 kg to 300 kg	58
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40
32277	RS-232 second output	70

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (1)	190
71104	PR4W Printer (7)	195
70814A	Q2 label printer with cable for K3, K3i (1)	250
70814B	Q2 ticket printer with cable for K3, K3i (1)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (1)	170
6950	RD3W Repeater Indicator (6)	230
6170A	K3 Repeater Indicator with 4m cable (1)	190
6171A	K3i Repeater Indicator with 4m cable (1)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K	60
33770	USB Output	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K2, K3, Z3, SC2	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3i, K3i P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K2, K3, Z3, SC2	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3i, K3i P	420
32278	Stainless steel U wall support (K3, K3i, K3i P)	30
31661	Painted steel wall support with ABS swivel base (SC2, K2, K3, Z3)	40




(1) They are mutually exclusive, only one of them can be used, except if the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(6) Wireless connection of K3, K3i is included.

(7) Includes WiFi board for K3/K3i.


PAINTED STEEL PLATFORM SCALES



GRAM ▼

▶ GRAM Xtrem Tortuga

(1/2)

GRAM  Next

▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71573	Xtrem Tortuga SL-300 (9)	300 kg	50 g	800 x 800	468
71574	Xtrem Tortuga SL-600	600 kg	100 g	800 x 800	468
71604	Xtrem Tortuga ML-300	300 kg	50 g	1000 x 800	530
71607	Xtrem Tortuga ML-600	600 kg	100 g	1000 x 800	530
71572	Xtrem Tortuga GL-600	600 kg	100 g	1000 x 1000	550
71597	Xtrem Tortuga GL-1500	1.500 kg	200 g	1000 x 1000	550

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88



▶ GRAM Xtrem Tortuga

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
7006	RM-8 Access Ramp for SL and ML	220
70190	RM-10 Access Ramp for GL and 1210	240
71178	RL-8 Access Ramp for SL and ML	300
71179	RL-10 Access Ramp for GL and 1210	360
70022	BM-10 Bumper 1m for model GL and 1210	120
70022A	Set of 4 BM bumpers for perimeter protection for model GL	450

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40


(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

(9) For verified equipment, the C3 for SL-300 Cells option must be included.

▶ GRAM Xtrem Tortuga - M

(1/2)

GRAM  Next

▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71573M	Xtrem Tortuga-SL-300		300	100	800 x 800	590
71574M	Xtrem Tortuga-SL-600		300 / 600	100 / 200	800 x 800	590
71604M	Xtrem Tortuga-ML-300		300	100	1000 x 800	650
71607M	Xtrem Tortuga-ML-600		300 / 600	100 / 200	1000 x 800	650
71572M	Xtrem Tortuga-GL-600		300 / 600	100 / 200	1000 x 1000	675
71597M	Xtrem Tortuga GL-1500		600 / 1500	200 / 500	1000 x 1000	675

Ref.	Options	MSRP (€)
6210	Z8i indicator	M 1.340
72098	K3X indicator	M 120
72099	K3iX indicator	M 220
72100	K3iX P indicator	M 450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80



▶ GRAM Xtrem Tortuga - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
7006	RM-8 Access Ramp for SL and ML	220
70190	RM-10 Access Ramp for GL and 1210	240
71178	RL-8 Access Ramp for SL and ML	300
71179	RL-10 Access Ramp for GL and 1210	360
70022	BM-10 Bumper 1m for model GL and 1210	120
70022A	Set of 4 BM bumpers for perimeter protection for model GL	450

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40


(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Tortuga HR

(1/2)

GRAM  Next



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71818	Xtrem Tortuga SL-800 HR	800 kg	20 g	800 x 800	1.040
71820	Xtrem Tortuga ML-800 HR	800 kg	20 g	1000 x 800	1.060
71822	Xtrem Tortuga GL-1,5T HR	1.500 kg	20 g	1000 x 1000	1.095

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8029	ISOCAL certificate from 601 kg to 1500 kg	88



▶ GRAM Xtrem Tortuga HR

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
7006	RM-8 Access Ramp for SL and ML	220
70190	RM-10 Access Ramp for GL and 1210	240
71178	RL-8 Access Ramp for SL and ML	300
71179	RL-10 Access Ramp for GL and 1210	360
70022	BM-10 Bumper 1m for model GL and 1210	120
70022A	Set of 4 BM bumpers for perimeter protection for model GL	450

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40


(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Bengal

(1/2)

GRAM Next



▶ Xtrem module included.



▶ Z-Link connection included.



Sheet thickness 4,5 mm.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71732	Xtrem Bengal 1210-600	600 kg	100 g	1200 x 1000	730
71575	Xtrem Bengal 1210-1,5T	1.500 kg	200 g	1200 x 1000	730
71576	Xtrem Bengal 1210-3T	3.000 kg	500 g	1200 x 1000	730
71733	Xtrem Bengal 1212-600	600 kg	100 g	1200 x 1200	760
71558	Xtrem Bengal 1212-1,5T	1.500 kg	200 g	1200 x 1200	760
71578	Xtrem Bengal 1212-3T	3.000 kg	500 g	1200 x 1200	760
71598	Xtrem Bengal 1512-1,5T	1.500 kg	200 g	1500 x 1200	820
71599	Xtrem Bengal 1512-3T	3.000 kg	500 g	1500 x 1200	820
71448	Xtrem Bengal 1515-1,5T	1.500 kg	200 g	1500 x 1500	890
71449	Xtrem Bengal 1515-3T	3.000 kg	500 g	1500 x 1500	890
71654	Xtrem Bengal 2015-1,5T	1.500 kg	200 g	2000 x 1500	1.190
71577	Xtrem Bengal 2015-3T	3.000 kg	500 g	2000 x 1500	1.190
71734	Xtrem Bengal 2020-3T	3.000 kg	500 g	2000 x 2000	1.950
71735	Xtrem Bengal 2020-6T	6.000 kg	1.000 g	2000 x 2000	1.950
71736	Xtrem Bengal 2515-3T	3.000 kg	500 g	2500 x 1500	1.850
71737	Xtrem Bengal 2515-6T	6.000 kg	1.000 g	2500 x 1500	1.850

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
8033	ISOCAL certificate from 3001 kg to 10000 kg	138



Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
70190	RM-10 Access Ramp for GL and 1210	240
4267	RM-12 Access Ramp for 1212 and 1512	300
4520	RM-15 Access Ramp for 1515 and 2015	390
71179	RL-10 Access Ramp for GL and 1210	360
71180	RL-12 Access Ramp for 1212 and 1512	410
71181	RL-15 Access Ramp for 1515 and 2015	460
70022	BM-10 Bumper 1m for model GL and 1210	120
70033	BM-12 Bumper 1,2m for model 1210, 1212 and 1512	120
70024	BM-15 Bumper 1,5m for model 1512, 1515 and 2015	150
70022B	Set of 4 BM bumpers for perimeter protection for model 1210	470
70033A	Set of 4 BM bumpers for perimeter protection for model 1212	480
70033B	Set of 4 BM bumpers for perimeter protection for model 1512	540
70024A	Set of 4 BM bumpers for perimeter protection for model 1515	590
70195	MP-1210 Pit frame & Anchor plates Kit	170
70245	MP-1212 Pit frame & Anchor plates Kit	180
70188	MP-1512 Pit frame & Anchor plates Kit	200
70189	MP-1515 Pit frame & Anchor plates Kit	210
70244	MP-2015 Pit frame & Anchor plates Kit	230
71354	MC-1210 One-piece pit frame	300
71355	MC-1212 One-piece pit frame	340
71356	MC-1512 One-piece pit frame	390
71347	MC-1515 One-piece pit frame	450
72030	MC-2015 One-piece pit frame	560
33826	FLP 12 Forklift Guides	230

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

► GRAM Xtrem Bengal - M

[1/2]



► Xtrem module included.



► Z-Link connection included.



Sheet thickness 4,5 mm.



► Xtrem PC software and Xtrem App included.



► Optional indicators.

Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71732M	Xtrem Bengal 1210-600		300 / 600	100 / 200	1200 x 1000	870
71575M	Xtrem Bengal 1210-1,5T		600 / 1500	200 / 500	1200 x 1000	870
71576M	Xtrem Bengal 1210-3T		1500 / 3000	500 / 1000	1200 x 1000	870
71733M	Xtrem Bengal 1212-600		300 / 600	100 / 200	1200 x 1200	900
71558M	Xtrem Bengal 1212-1,5T		600 / 1500	200 / 500	1200 x 1200	900
71578M	Xtrem Bengal 1212-3T		1500 / 3000	500 / 1000	1200 x 1200	900
71598M	Xtrem Bengal 1512-1,5T		600 / 1500	200 / 500	1500 x 1200	960
71599M	Xtrem Bengal 1512-3T		1500 / 3000	500 / 1000	1500 x 1200	960
71448M	Xtrem Bengal 1515-1,5T		600 / 1500	200 / 500	1500 x 1500	1.040
71449M	Xtrem Bengal 1515-3T		1500 / 3000	500 / 1000	1500 x 1500	1.040
71654M	Xtrem Bengal 2015-1,5T		600 / 1500	200 / 500	2000 x 1500	1.380
71577M	Xtrem Bengal 2015-3T		1500 / 3000	500 / 1000	2000 x 1500	1.380
71734M	Xtrem Bengal 2020-3T		1500 / 3000	500 / 1000	2000 x 2000	2.125
71735M	Xtrem Bengal 2020-6T		3000 / 6000	1000 / 2000	2000 x 2000	2.125
71736M	Xtrem Bengal 2515-3T		1500 / 3000	500 / 1000	2500 x 1500	1.990
71737M	Xtrem Bengal 2515-6T		3000 / 6000	1000 / 2000	2500 x 1500	1.990

Ref.	Options	M	MSRP (€)
6210	Z8i indicator	M	1.340
72098	K3X indicator	M	120
72099	K3iX indicator	M	220
72100	K3iX P indicator	M	450
72026A	PC Xtrem software (includes self-powered PC cable)		70
33819A	Xtrem App for Android (including WiFi connection and power cable)		130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)		195
32351	Z-Link Connection 8m		45
32352	Z-Link Connection 15m		75
71683	WiFi connection (1)		60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)		130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)		195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)		195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App		390
8025	ISOCAL certificate from 301 kg to 600 kg		80
8029	ISOCAL certificate from 601 kg to 1500 kg		88
8030	ISOCAL certificate from 1501 kg to 3000 kg		98
8033	ISOCAL certificate from 3001 kg to 10000 kg		138



Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
70190	RM-10 Access Ramp for GL and 1210	240
4267	RM-12 Access Ramp for 1212 and 1512	300
4520	RM-15 Access Ramp for 1515 and 2015	390
71179	RL-10 Access Ramp for GL and 1210	360
71180	RL-12 Access Ramp for 1212 and 1512	410
71181	RL-15 Access Ramp for 1515 and 2015	460
70022	BM-10 Bumper 1m for model GL and 1210	120
70033	BM-12 Bumper 1,2m for model 1210, 1212 and 1512	120
70024	BM-15 Bumper 1,5m for model 1512, 1515 and 2015	150
70022B	Set of 4 BM bumpers for perimeter protection for model 1210	470
70033A	Set of 4 BM bumpers for perimeter protection for model 1212	480
70033B	Set of 4 BM bumpers for perimeter protection for model 1512	540
70024A	Set of 4 BM bumpers for perimeter protection for model 1515	590
70195	MP-1210 Pit frame & Anchor plates Kit	170
70245	MP-1212 Pit frame & Anchor plates Kit	180
70188	MP-1512 Pit frame & Anchor plates Kit	200
70189	MP-1515 Pit frame & Anchor plates Kit	210
70244	MP-2015 Pit frame & Anchor plates Kit	230
71354	MC-1210 One-piece pit frame	300
71355	MC-1212 One-piece pit frame	340
71356	MC-1512 One-piece pit frame	390
71347	MC-1515 One-piece pit frame	450
72030	MC-2015 One-piece pit frame	560
33826	FLP 12 Forklift Guides	230

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Lion

(1/2)



GRAM Next



▶ Xtrem module included.



▶ Z-Link connection included.



Superior access to load cells. Sheet thickness 6 mm.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71794	Xtrem XLion 1210-600	600 kg	100 g	1200 x 1000	990
71437	Xtrem Lion 1210-1,5T	1.500 kg	200 g	1200 x 1000	990
71439	Xtrem Lion-1210-3T	3.000 kg	500 g	1200 x 1000	990
71789	Xtrem Lion 1210-5T	5.000 kg	1.000 g	1200 x 1000	1.510
71795	Xtrem XLion 1212-600	600 kg	100 g	1200 x 1200	1.060
71667	Xtrem Lion 1212-1,5T	1.500 kg	200 g	1200 x 1200	1.060
71790	Xtrem Lion 1212-3T	3.000 kg	500 g	1200 x 1200	1.060
71791	Xtrem Lion 1212-5T	5.000 kg	1.000 g	1200 x 1200	1.610
71440	Xtrem Lion 1512-1,5T	1.500 kg	200 g	1500 x 1200	1.140
71422	Xtrem Lion 1512-3T	3.000 kg	500 g	1500 x 1200	1.140
71792	Xtrem Lion 1512-5T	5.000 kg	1.000 g	1500 x 1200	1.750
71608	Xtrem Lion 1515-1,5T	1.500 kg	200 g	1500 x 1500	1.260
71626	Xtrem Lion 1515-3T	3.000 kg	500 g	1500 x 1500	1.260
71678	Xtrem Lion 1515-5T	5.000 kg	1.000 g	1500 x 1500	1.960
71427	Xtrem Lion 2015-1,5T	1.500 kg	200 g	2000 x 1500	1.580
71441	Xtrem Lion 2015-3T	3.000 kg	500 g	2000 x 1500	1.580
71793	Xtrem Lion 2015-5T	5.000 kg	1.000 g	2000 x 1500	2.300

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
70190	RM-10 Access Ramp for GL and 1210	240
4267	RM-12 Access Ramp for 1212 and 1512	300
4520	RM-15 Access Ramp for 1515 and 2015	390
71179	RL-10 Access Ramp for GL and 1210	360
71180	RL-12 Access Ramp for 1212 and 1512	410
71181	RL-15 Access Ramp for 1515 and 2015	460
70022	BM-10 Bumper 1m for model GL and 1210	120
70033	BM-12 Bumper 1,2m for model 1210, 1212 and 1512	120
70024	BM-15 Bumper 1,5m for model 1512, 1515 and 2015	150
70022B	Set of 4 BM bumpers for perimeter protection for model 1210	470
70033A	Set of 4 BM bumpers for perimeter protection for model 1212	480
70033B	Set of 4 BM bumpers for perimeter protection for model 1512	540
70024A	Set of 4 BM bumpers for perimeter protection for model 1515	590
70195	MP-1210 Pit frame & Anchor plates Kit	170
70245	MP-1212 Pit frame & Anchor plates Kit	180
70188	MP-1512 Pit frame & Anchor plates Kit	200
70189	MP-1515 Pit frame & Anchor plates Kit	210
70244	MP-2015 Pit frame & Anchor plates Kit	230
71354	MC-1210 One-piece pit frame	300
71355	MC-1212 One-piece pit frame	340
71356	MC-1512 One-piece pit frame	390
71347	MC-1515 One-piece pit frame	450
72030	MC-2015 One-piece pit frame	560
33826	FLP 12 Forklift Guides	230

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i [2]	190
70814A	Q2 label printer with cable for K3, K3i [2]	250
70814B	Q2 ticket printer with cable for K3, K3i [2]	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i [2]	170
6170A	K3 Repeater Indicator with 4m cable [2]	190
6171A	K3i Repeater Indicator with 4m cable [2]	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K [2]	60
33770	USB Output [2]	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40


(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Lion - M

(1/2)

GRAM Next



▶ Xtrem module included.



▶ Z-Link connection included.



Superior access to load cells. Sheet thickness 6 mm.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71794M	Xtrem Lion 1210-600		300 / 600	100 / 200	1200 x 1000	1.140
71437M	Xtrem Lion 1210-1,5T		600 / 1500	200 / 500	1200 x 1000	1.140
71439M	Xtrem Lion-1210-3T		1500 / 3000	500 / 1000	1200 x 1000	1.140
71789M	Xtrem Lion 1210-5T		3000 / 5000	1000 / 2000	1200 x 1000	1.760
71795M	Xtrem Lion 1212-600		300 / 600	100 / 200	1200 x 1200	1.210
71667M	Xtrem Lion 1212-1,5T		600 / 1500	200 / 500	1200 x 1200	1.210
71790M	Xtrem Lion 1212-3T		1500 / 3000	500 / 1000	1200 x 1200	1.210
71791M	Xtrem Lion 1212-5T		3000 / 5000	1000 / 2000	1200 x 1200	1.860
71440M	Xtrem Lion 1512-1,5T		600 / 1500	200 / 500	1500 x 1200	1.290
71422M	Xtrem Lion 1512-3T		1500 / 3000	500 / 1000	1500 x 1200	1.290
71792M	Xtrem Lion 1512-5T		3000 / 5000	1000 / 2000	1500 x 1200	1.990
71608M	Xtrem Lion 1515-1,5T		600 / 1500	200 / 500	1500 x 1500	1.410
71626M	Xtrem Lion 1515-3T		1500 / 3000	500 / 1000	1500 x 1500	1.410
71678M	Xtrem Lion 1515-5T		3000 / 5000	1000 / 2000	1500 x 1500	2.210
71427M	Xtrem Lion 2015-1,5T		600 / 1500	200 / 500	2000 x 1500	1.730
71441M	Xtrem Lion 2015-3T		1500 / 3000	500 / 1000	2000 x 1500	1.730
71793M	Xtrem Lion 2015-5T		3000 / 5000	1000 / 2000	2000 x 1500	2.550

Ref.	Options	M	MSRP (€)
6210	Z8i indicator	M	1.340
72098	K3X indicator	M	120
72099	K3iX indicator	M	220
72100	K3iX P indicator	M	450
72026A	PC Xtrem software (includes self-powered PC cable)		70
33819A	Xtrem App for Android (including WiFi connection and power cable)		130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)		195
32351	Z-Link Connection 8m		45
32352	Z-Link Connection 15m		75
71683	WiFi connection (1)		60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)		130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)		195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)		195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App		390
8025	ISOCAL certificate from 301 kg to 600 kg		80
8029	ISOCAL certificate from 601 kg to 1500 kg		88
8030	ISOCAL certificate from 1501 kg to 3000 kg		98



Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
70190	RM-10 Access Ramp for GL and 1210	240
4267	RM-12 Access Ramp for 1212 and 1512	300
4520	RM-15 Access Ramp for 1515 and 2015	390
71179	RL-10 Access Ramp for GL and 1210	360
71180	RL-12 Access Ramp for 1212 and 1512	410
71181	RL-15 Access Ramp for 1515 and 2015	460
70022	BM-10 Bumper 1m for model GL and 1210	120
70033	BM-12 Bumper 1,2m for model 1210, 1212 and 1512	120
70024	BM-15 Bumper 1,5m for model 1512, 1515 and 2015	150
70022B	Set of 4 BM bumpers for perimeter protection for model 1210	470
70033A	Set of 4 BM bumpers for perimeter protection for model 1212	480
70033B	Set of 4 BM bumpers for perimeter protection for model 1512	540
70024A	Set of 4 BM bumpers for perimeter protection for model 1515	590
70195	MP-1210 Pit frame & Anchor plates Kit	170
70245	MP-1212 Pit frame & Anchor plates Kit	180
70188	MP-1512 Pit frame & Anchor plates Kit	200
70189	MP-1515 Pit frame & Anchor plates Kit	210
70244	MP-2015 Pit frame & Anchor plates Kit	230
71354	MC-1210 One-piece pit frame	300
71355	MC-1212 One-piece pit frame	340
71356	MC-1512 One-piece pit frame	390
71347	MC-1515 One-piece pit frame	450
72030	MC-2015 One-piece pit frame	560
33826	FLP 12 Forklift Guides	230

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40


(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Lion HR

[1/2]

GRAM Next



▶ Xtrem module included.



▶ Z-Link connection included.



Superior access to load cells. Sheet thickness 6 mm.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71797	Xtrem Lion 1210-1,5T HR	1.500 kg	20 g	1200 x 1000	1.690
71798	Xtrem Lion 1210-3T HR	3.000 kg	50 g	1200 x 1000	1.690
71800	Xtrem Lion 1212-1,5T HR	1.500 kg	20 g	1200 x 1200	1.790
71801	Xtrem Lion 1212-3T HR	3.000 kg	50 g	1200 x 1200	1.790
71802	Xtrem Lion 1512-1,5T HR	1.500 kg	20 g	1500 x 1200	1.960
71803	Xtrem Lion 1512-3T HR	3.000 kg	50 g	1500 x 1200	1.960
71804	Xtrem Lion 1515-1,5T HR	1.500 kg	20 g	1500 x 1500	2.190
71805	Xtrem Lion 1515-3T HR	3.000 kg	50 g	1500 x 1500	2.190
71806	Xtrem Lion 2015-1,5T HR	1.500 kg	20 g	2000 x 1500	2.570
71807	Xtrem XLion 2015-3T HR	3.000 kg	50 g	2000 x 1500	2.570

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40



▶ GRAM Xtrem Lion HR

(2/2)

Ref.	Platform Accessories	MSRP (€)
70190	RM-10 Access Ramp for GL and 1210	240
4267	RM-12 Access Ramp for 1212 and 1512	300
4520	RM-15 Access Ramp for 1515 and 2015	390
71179	RL-10 Access Ramp for GL and 1210	360
71180	RL-12 Access Ramp for 1212 and 1512	410
71181	RL-15 Access Ramp for 1515 and 2015	460
70022	BM-10 Bumper 1m for model GL and 1210	120
70033	BM-12 Bumper 1,2m for model 1210, 1212 and 1512	120
70024	BM-15 Bumper 1,5m for model 1512, 1515 and 2015	150
70022B	Set of 4 BM bumpers for perimeter protection for model 1210	470
70033A	Set of 4 BM bumpers for perimeter protection for model 1212	480
70033B	Set of 4 BM bumpers for perimeter protection for model 1512	540
70024A	Set of 4 BM bumpers for perimeter protection for model 1515	590
70195	MP-1210 Pit frame & Anchor plates Kit	170
70245	MP-1212 Pit frame & Anchor plates Kit	180
70188	MP-1512 Pit frame & Anchor plates Kit	200
70189	MP-1515 Pit frame & Anchor plates Kit	210
70244	MP-2015 Pit frame & Anchor plates Kit	230
71354	MC-1210 One-piece pit frame	300
71355	MC-1212 One-piece pit frame	340
71356	MC-1512 One-piece pit frame	390
71347	MC-1515 One-piece pit frame	450
72030	MC-2015 One-piece pit frame	560
33826	FLP 12 Forklift Guides	230

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Buffalo

(1/2)

GRAM Next



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71871	Xtrem Buffalo 1212-600	600 kg	100 g	1200 x 1200	1.420
71613	Xtrem Buffalo 1212-1,5T	1.500 kg	200 g	1200 x 1200	1.420
71614	Xtrem Buffalo 1212-3T	3.000 kg	500 g	1200 x 1200	1.420
71880	Xtrem Buffalo 1212-5T	5.000 kg	1.000 g	1200 x 1200	1.980
71615	Xtrem Buffalo 1512-1,5T	1.500 kg	200 g	1500 x 1200	1.490
71616	Xtrem Buffalo 1512-3T	3.000 kg	500 g	1500 x 1200	1.490
71881	Xtrem Buffalo 1512-5T	5.000 kg	1.000 g	1500 x 1200	2.210
71617	Xtrem Buffalo 1515-1,5T	1.500 kg	200 g	1500 x 1500	1.730
71436	Xtrem Buffalo 1515-3T	3.000 kg	500 g	1500 x 1500	1.730
71882	Xtrem Buffalo 1515-5T	5.000 kg	1.000 g	1500 x 1500	2.470
71618	Xtrem Buffalo 2015-1,5T	1.500 kg	200 g	2000 x 1500	2.090
71619	Xtrem Buffalo 2015-3T	3.000 kg	500 g	2000 x 1500	2.090

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
8033	ISOCAL certificate from 3001 kg to 10000 kg	138



▶ GRAM Xtrem Buffalo

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
70245	MP-1212 Pit frame & Anchor plates Kit	180
70188	MP-1512 Pit frame & Anchor plates Kit	200
70189	MP-1515 Pit frame & Anchor plates Kit	210
70244	MP-2015 Pit frame & Anchor plates Kit	230

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Buffalo - M

(1/2)

GRAM Next



Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71871M	Xtrem Buffalo 1212-600		300 / 600	100 / 200	1200 x 1200	1.570
71613M	Xtrem Buffalo 1212-1,5T		600 / 1500	200 / 500	1200 x 1200	1.570
71614M	Xtrem Buffalo 1212-3T		1500 / 3000	500 / 1000	1200 x 1200	1.570
71880M	Xtrem Buffalo 1212-5T		3000 / 5000	1000 / 2000	1200 x 1200	2.130
71615M	Xtrem Buffalo 1512-1,5T		600 / 1500	200 / 500	1500 x 1200	1.640
71616M	Xtrem Buffalo 1512-3T		1500 / 3000	500 / 1000	1500 x 1200	1.640
71881M	Xtrem Buffalo 1512-5T		3000 / 5000	1000 / 2000	1500 x 1200	2.360
71617M	Xtrem Buffalo 1515-1,5T		600 / 1500	200 / 500	1500 x 1500	1.880
71436M	Xtrem Buffalo 1515-3T		1500 / 3000	500 / 1000	1500 x 1500	1.880
71882M	Xtrem Buffalo 1515-5T		3000 / 5000	1000 / 2000	1500 x 1500	2.620
71618M	Xtrem Buffalo 2015-1,5T		600 / 1500	200 / 500	2000 x 1500	2.240
71619M	Xtrem Buffalo 2015-3T		1500 / 3000	500 / 1000	2000 x 1500	2.240



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Options	MSRP (€)
6210	Z8i indicator M	1.340
72098	K3X indicator M	120
72099	K3iX indicator M	220
72100	K3iX P indicator M	450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
8033	ISOCAL certificate from 3001 kg to 10000 kg	138



▶ GRAM Xtrem Buffalo - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
70245	MP-1212 Pit frame & Anchor plates Kit	180
70188	MP-1512 Pit frame & Anchor plates Kit	200
70189	MP-1515 Pit frame & Anchor plates Kit	210
70244	MP-2015 Pit frame & Anchor plates Kit	230

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Buffalo HR

(1/2)

GRAM  Next

▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71872	Xtrem Buffalo 1212-1,5T HR	1.500 kg	10 g	1200 x 1200	2.042
71873	Xtrem Buffalo 1212-3T HR	3.000 kg	20 g	1200 x 1200	2.042
71874	Xtrem Buffalo 1512-1,5T HR	1.500 kg	10 g	1500 x 1200	2.252
71875	Xtrem Buffalo 1512-3T HR	3.000 kg	20 g	1500 x 1200	2.252
71876	Xtrem Buffalo 1515-1,5T HR	1.500 kg	10 g	1500 x 1500	2.525
71877	Xtrem Buffalo 1515-3T HR	3.000 kg	20 g	1500 x 1500	2.525
71878	Xtrem Buffalo 2015-1,5T HR	1.500 kg	10 g	2000 x 1500	3.092
71879	Xtrem Buffalo 2015-3T HR	3.000 kg	20 g	2000 x 1500	3.092

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



▶ GRAM Xtrem Buffalo HR

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
70245	MP-1212 Pit frame & Anchor plates Kit	180
70188	MP-1512 Pit frame & Anchor plates Kit	200
70189	MP-1515 Pit frame & Anchor plates Kit	210
70244	MP-2015 Pit frame & Anchor plates Kit	230

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Penguin

(1/2)

GRAM Next



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
10063	Xtrem Penguin 8080-600	600 kg	100 g	800 x 800	880
72013	Xtrem Penguin EP 600	600 kg	100 g	1600 x 900	1.080
71750	Xtrem Penguin EP 1,5T	1.500 kg	200 g	1600 x 900	1.080
71787	Xtrem Penguin EP 3T	3.000 kg	500 g	1600 x 900	1.080
71998	Xtrem Penguin 1212-600	600 kg	100 g	1200 x 1200	990
71583	Xtrem Penguin 1212-1,5T	1.500 kg	200 g	1200 x 1200	990
71596	Xtrem Penguin 1212-3T	3.000 kg	500 g	1200 x 1200	990
71999	Xtrem Penguin 1515-600	600 kg	100 g	1500 x 1500	1.250
71653	Xtrem Penguin 1515-1,5T	1.500 kg	200 g	1500 x 1500	1.250
71645	Xtrem Penguin 1515-3T	3.000 kg	500 g	1500 x 1500	1.250

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



▶ GRAM Xtrem Penguin

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
71153	Access Ramp for Penguin EP	120
71154	Access Ramp for Penguin 1200	140
71155	Access Ramp for Penguin 1500	170
34034	Final limiting bar for Penguin EP	50
34035	Final limiting bar for Penguin 1212	60
34036	Final limiting bar for Penguin 1515	70

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Penguin - M

(1/2)

GRAM Next



Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
10063M	Xtrem Penguin 8080-600		300 / 600	100 / 200	800 x 800	990
72013M	Xtrem Penguin EP 600		300 / 600	100 / 200	1600 x 900	1.240
71750M	Xtrem Penguin EP 1,5T		600 / 1500	200 / 500	1600 x 900	1.240
71787M	Xtrem Penguin EP 3T		1500 / 3000	500 / 1000	1600 x 900	1.240
71998M	Xtrem Penguin 1212-600		300 / 600	100 / 200	1200 x 1200	1.140
71583M	Xtrem Penguin 1212-1,5T		600 / 1500	200 / 500	1200 x 1200	1.140
71596M	Xtrem Penguin 1212-3T		1500 / 3000	500 / 1000	1200 x 1200	1.140
71999M	Xtrem Penguin 1515-600		300 / 600	100 / 200	1500 x 1500	1.380
71653M	Xtrem Penguin 1515-1,5T		600 / 1500	200 / 500	1500 x 1500	1.380
71645M	Xtrem Penguin 1515-3T		1500 / 3000	500 / 1000	1500 x 1500	1.380



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



▶ GRAM Xtrem Penguin - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
71153	Access Ramp for Penguin EP	120
71154	Access Ramp for Penguin 1200	140
71155	Access Ramp for Penguin 1500	170
34034	Final limiting bar for Penguin EP	50
34035	Final limiting bar for Penguin 1212	60
34036	Final limiting bar for Penguin 1515	70

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Penguin HR

(1/2)

GRAM Next



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71809	Xtrem Penguin EP 1,5T HR	1.500 kg	50 g	1600 x 900	1.780
71810	Xtrem Penguin EP 3T HR	3.000 kg	100 g	1600 x 900	1.780
71812	Xtrem Penguin 1212-1,5T HR	1.500 kg	50 g	1200 x 1200	1.690
71813	Xtrem Penguin 1212-3T HR	3.000 kg	100 g	1200 x 1200	1.690
71815	Xtrem Penguin 1515-1,5T HR	1.500 kg	50 g	1500 x 1500	1.990
71816	Xtrem Penguin 1515-3T HR	3.000 kg	100 g	1500 x 1500	1.990

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



▶ GRAM Xtrem Penguin HR

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Accessoires Plateforme	PVP (€)
71153	Access Ramp for Penguin EP	120
71154	Access Ramp for Penguin 1200	140
71155	Access Ramp for Penguin 1500	170
34034	Final limiting bar for Penguin EP	50
34035	Final limiting bar for Penguin 1212	60
34036	Final limiting bar for Penguin 1515	70

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Falcon

(1/2)

GRAM Next



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71751	Xtrem Falcon 88-300	300 kg	50 g	800 x 800	830
71752	Xtrem Falcon 88-600	600 kg	100 g	800 x 800	830
71753	Xtrem Falcon 1010-300	300 kg	50 g	1000 x 1000	880
71754	Xtrem Falcon 1010-600	600 kg	100 g	1000 x 1000	880
71755	Xtrem Falcon 1212-600	600 kg	100 g	1200 x 1200	940
71756	Xtrem Falcon 1212-1,5T	1.500 kg	200 g	1200 x 1200	940

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88



▶ GRAM Xtrem Falcon

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Falcon - M

(1/2)

GRAM  Next

▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71752M	Xtrem Falcon 88-600		300 / 600	100 / 200	800 x 800	950
71754M	Xtrem Falcon 1010-600		300 / 600	100 / 200	1000 x 1000	990
71755M	Xtrem Falcon 1212-600		300 / 600	100 / 200	1200 x 1200	1.090
71756M	Xtrem Falcon 1212-1,5T		600 / 1500	200 / 500	1200 x 1200	1.090

Ref.	Options	MSRP (€)
6210	Z8i indicator	M 1.340
72098	K3X indicator	M 120
72099	K3iX indicator	M 220
72100	K3iX P indicator	M 450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88



▶ GRAM Xtrem Falcon - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Scorpion

(1/2)

GRAM  Next

▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71588	Xtrem Scorpion 1,5T	1.500 kg	200 g	925 x 1200	595
71557	Xtrem Scorpion 3T	3.000 kg	500 g	925 x 1200	595

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



▶ GRAM Xtrem Scorpion

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
36861	LP low height stainless steel feet (4u.)	190

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Scorpion - M

(1/2)

GRAM  Next

▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71646M	Xtrem Scorpion 1,5T R		1500	500	925 x 1200	890
71588M	Xtrem Scorpion 1,5T		600 / 1500	200 / 500	925 x 1200	890

Ref.	Options	MSRP (€)
6210	Z8i indicator	M 1.340
72098	K3X indicator	M 120
72099	K3iX indicator	M 220
72100	K3iX P indicator	M 450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8029	ISOCAL certificate from 601 kg to 1500 kg	88



▶ GRAM Xtrem Scorpion - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
36861	LP low height stainless steel feet (4u.)	190

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Zebra

(1/2)

GRAM  Next

▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
72134	Xtrem Zebra 8-600	600 kg	200 g	60 x 130 x 800	590
72135	Xtrem Zebra 8-1,5T	1.500 kg	500 g	60 x 130 x 800	590
72136	Xtrem Zebra 8-3T	3.000 kg	1.000 g	60 x 130 x 800	590
72137	Xtrem Zebra 12-600	600 kg	200 g	60 x 150 x 1200	645
72138	Xtrem Zebra 12-1,5T	1.500 kg	500 g	60 x 150 x 1200	645
72139	Xtrem Zebra 12-3T	3.000 kg	1.000 g	60 x 150 x 1200	645

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection ⁽¹⁾	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) ⁽¹⁾	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) ⁽¹⁾	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) ⁽¹⁾	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



▶ GRAM Xtrem Zebra

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
33745	Anchor plates Kit (4u.)	360


Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Mamut

(1/2)

GRAM  Next

▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71571	Xtrem Mamut 3015-3T	3.000 kg	500 g	3000 x 1500	2.500
71945	Xtrem Mamut 3020-3T	3.000 kg	500 g	3000 x 2000	3.150
71556	Xtrem Mamut 3020-6T	6.000 kg	1.000 g	3000 x 2000	3.250
71946	Xtrem Mamut 4015-6T	6.000 kg	1.000 g	4000 x 1500	3.490

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
8033	ISOCAL certificate from 3001 kg to 10000 kg	138



▶ GRAM Xtrem Mamut

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
71313	MP-3015 Pit frame & Anchor plates Kit	310
71314	MP-3020 Pit frame & Anchor plates Kit	360
71315	MP-4015 Pit frame & Anchor plates Kit	410
72129	RL-15H Access Ramp for Mamut 3015 and 4015	620
72130	RL-20H RAccess Ramp for Mamut 3020	790

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40


(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Mamut M

(1/2)

GRAM Next



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71571M	Xtrem Mamut 3015-3T		1500 / 3000	500 / 1000	3000 x 1500	2.580
71945M	Xtrem Mamut 3020-3T		1500 / 3000	500 / 1000	3000 x 2000	3.230
71556M	Xtrem Mamut 3020-6T		3000 / 6000	1000 / 2000	3000 x 2000	3.330
71946M	Xtrem Mamut 4015-6T		3000 / 6000	1000 / 2000	4000 x 1500	3.560

Ref.	Options	MSRP (€)
6210	Z8i indicator	M 1.340
72098	K3X indicator	M 120
72099	K3iX indicator	M 220
72100	K3iX P indicator	M 450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
8033	ISOCAL certificate from 3001 kg to 10000 kg	138



▶ GRAM Xtrem Mamut M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
71313	MP-3015 Pit frame & Anchor plates Kit	310
71314	MP-3020 Pit frame & Anchor plates Kit	360
71315	MP-4015 Pit frame & Anchor plates Kit	410
72129	RL-15H Access Ramp for Mamut 3015 and 4015	620
72130	RL-20H RAccess Ramp for Mamut 3020	790


Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Speed

(1/2)

GRAM  Next

▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71686	Xtrem Speed 50-10T	10.000 kg	2.000 g	5000 x 2450	9.880
71687	Xtrem Speed 60-10T	10.000 kg	2.000 g	6000 x 2450	10.800

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8033	ISO CAL certificate from 3001 kg to 10000 kg	138



▶ GRAM Xtrem Speed

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
70436	RM-25 Access Ramp for Speed	1.400
70834	MP-5025 Pit frame & Anchor plates Kit	610
70835	MP-6025 Pit frame & Anchor plates Kit	700


Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Speed - M

(1/2)

GRAM  Next

▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71686M	Xtrem Speed 50-10T		6000 / 10000	2000 / 5000	5000 x 2450	9.990
71687M	Xtrem Speed 60-10T		6000 / 10000	2000 / 5000	6000 x 2450	10.900

Ref.	Options	MSRP (€)
6210	Z8i indicator	M 1.340
72098	K3X indicator	M 120
72099	K3iX indicator	M 220
72100	K3iX P indicator	M 450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Connection Z-Link 8m	45
32352	Connection Z-Link 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8033	ISOCAL certificate from 3001 kg to 10000 kg	138



▶ GRAM Xtrem Speed - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
70436	RM-25 Access Ramp for Speed	1.400
70834	MP-5025 Pit frame & Anchor plates Kit	610
70835	MP-6025 Pit frame & Anchor plates Kit	700

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

PLATFORM SCALES STAINLESS STEEL



GRAM



► GRAM Xtrem Tortuga S

(1/2)



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71705	Xtrem Tortuga S SLI-300/4 ⁽⁹⁾	300 kg	50 g	800 x 800	1.650
71706	Xtrem Tortuga S SLI-600/4	600 kg	100 g	800 x 800	1.650
71704	Xtrem Tortuga S GLI-600/4	600 kg	100 g	1000 x 1000	1.880
71703	Xtrem Tortuga S GLI-1,5T/4	1.500 kg	200 g	1000 x 1000	1.880
71718	Xtrem Tortuga S SLI-300/16 ⁽⁹⁾	300 kg	50 g	800 x 800	5.436
72000	Xtrem Tortuga S SLI-600/16	600 kg	100 g	800 x 800	5.436
72001	Xtrem Tortuga S GLI-600/16	600 kg	100 g	1000 x 1000	6.382
72002	Xtrem Tortuga S GLI-1,5T/16	1.500 kg	200 g	1000 x 1000	6.382

Ref.	Options	MSRP (€)
6210	Indicator Z8i	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88



► Xtrem module included.



► Z-Link connection included.



► Xtrem PC software and Xtrem App included.



► Optional indicators.



▶ GRAM Xtrem Tortuga S

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
71182	RLI-8 Stainless Steel access Ramp SLI	2.040
71183	RLI-10 Stainless Steel access Ramp 1210 and GLI	2.370

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3X, K3iX, K3W, K3iW (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX, K3W, K3iW (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3W, K3iW (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

(9) Model not CE verifiable.

▶ GRAM Xtrem Tortuga S - M

(1/2)



Ref.	Model	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71706M	Xtrem Tortuga S SLI-600/4		300 / 600	100 / 200	800 x 800	1.850
71704M	Xtrem Tortuga S GLI-600/4		300 / 600	100 / 200	1000 x 1000	2.050
71703M	Xtrem Tortuga S GLI-1,5T/4		600 / 1500	200 / 500	1000 x 1000	2.050
72000M	Xtrem Tortuga S SLI-600/16		300 / 600	100 / 200	800 x 800	5.509
72001M	Xtrem Tortuga S GLI-600/16		300 / 600	100 / 200	1000 x 1000	6.455
72002M	Xtrem Tortuga S GLI-1,5T/16		600 / 1500	200 / 500	1000 x 1000	6.455

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.



▶ GRAM Xtrem Tortuga S - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
71182	RLI-8 Stainless Steel access Ramp SLI	2.040
71183	RLI-10 Stainless Steel access Ramp 1210 and GLI	2.370

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Tortuga S HR

(1/2)



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71824	Xtrem Tortuga S SLI-800-HR /4	800 kg	20 g	800 x 800	1.818
71826	Xtrem Tortuga S GLI-1,5T-HR /4	1.500 kg	20 g	1000 x 1000	2.055
71828	Xtrem Tortuga S SLI-800-HR/16	800 kg	20 g	800 x 800	5.536
71830	Xtrem Tortuga S GLI-1,5T HR/16	1.500 kg	20 g	1000 x 1000	6.409

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8029	ISOCAL certificate from 601 kg to 1500 kg	88



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.



▶ GRAM Xtrem Tortuga S HR

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
71182	RLI-8 Stainless Steel access Ramp SLI	2.040
71183	RLI-10 Stainless Steel access Ramp 1210 and GLI	2.370

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40


(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

► GRAM Xtrem Lion S / 4

(1/2)

GRAM  Next



► Xtrem module included.



► Z-Link connection included.



Superior access to load cells. Sheet thickness 6 mm.



► Xtrem PC software and Xtrem App included.



► Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71909	Xtrem Lion S 1210-600/4	600 kg	100 g	1200 x 1000	2.970
71910	Xtrem Lion S 1210-1,5T/4	1.500 kg	200 g	1200 x 1000	2.970
71911	Xtrem Lion S 1210-3T/4	3.000 kg	500 g	1200 x 1000	2.970
71912	Xtrem Lion S 1210-5T/4	5.000 kg	1.000 g	1200 x 1000	3.390
71913	Xtrem Lion S 1212-600/4	600 kg	100 g	1200 x 1200	3.190
71914	Xtrem Lion S 1212-1,5T/4	1.500 kg	200 g	1200 x 1200	3.190
71915	Xtrem Lion S 1212-3T/4	3.000 kg	500 g	1200 x 1200	3.190
71916	Xtrem Lion S 1212-5T/4	5.000 kg	1.000 g	1200 x 1200	3.590
71917	Xtrem Lion S 1512-1,5T/4	1.500 kg	200 g	1500 x 1200	3.670
71918	Xtrem Lion S 1512-3T/4	3.000 kg	500 g	1500 x 1200	3.670
71919	Xtrem Lion S 1512-5T/4	5.000 kg	1.000 g	1500 x 1200	4.090
71920	Xtrem Lion S 1515-1,5T/4	1.500 kg	200 g	1500 x 1500	4.490
71921	Xtrem Lion S 1515-3T/4	3.000 kg	500 g	1500 x 1500	4.490
71922	Xtrem Lion S 1515-5T/4	5.000 kg	1.000 g	1500 x 1500	4.890
71923	Xtrem Lion S 2015-1,5T/4	1.500 kg	200 g	2000 x 1500	5.450
71924	Xtrem Lion S 2015-3T/4	3.000 kg	500 g	2000 x 1500	5.450
71925	Xtrem Lion S 2015-5T/4	5.000 kg	1.000 g	2000 x 1500	5.850

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
8033	ISOCAL certificate from 3001 kg to 10000 kg	138



▶ GRAM Xtrem Lion S / 4

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
71183	RLI-10 Stainless Steel access Ramp 1210 and GLI	2.370
71184	RLI-12 Stainless Steel access Ramp 1212 and 1512	2.680
71185	RLI-15 Stainless Steel access Ramp 1515 and 2015	3.120
60985	MPI-1210 Stainless Steel Pit Frame	660
70925	MPI-1212 Stainless Steel Pit Frame	700
4843	MPI-1512 Stainless Steel Pit Frame	720
70807	MPI-1515 Stainless Steel Pit Frame	770
71943	FLI 12 Stainless Steel Forklift Guides	600


Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

► GRAM Xtrem Lion S / 16

(1/2)



► Xtrem module included.



► Z-Link connection included.



Superior access to load cells. Sheet thickness 6 mm.



► Xtrem PC software and Xtrem App included.



► Optional indicators.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71926	Xtrem Lion S 1210-600/16	600 kg	100 g	1200 x 1000	11.318
71927	Xtrem Lion S 1210-1,5T/16	1.500 kg	200 g	1200 x 1000	11.318
71928	Xtrem Lion S 1210-3T/16	3.000 kg	500 g	1200 x 1000	11.318
71929	Xtrem Lion S 1210-5T/16	5.000 kg	1.000 g	1200 x 1000	11.318
71930	Xtrem Lion S 1212-600/16	600 kg	100 g	1200 x 1200	12.082
71931	Xtrem Lion S 1212-1,5T/16	1.500 kg	200 g	1200 x 1200	12.082
71932	Xtrem Lion S 1212-3T/16	3.000 kg	500 g	1200 x 1200	12.082
71933	Xtrem Lion S 1212-5T/16	5.000 kg	1.000 g	1200 x 1200	12.082
71934	Xtrem Lion S 1512-1,5T/16	1.500 kg	200 g	1500 x 1200	13.059
71935	Xtrem Lion S 1512-3T/16	3.000 kg	500 g	1500 x 1200	13.059
71936	Xtrem Lion S 1512-5T/16	5.000 kg	1.000 g	1500 x 1200	13.059
71937	Xtrem Lion S 1515-1,5T/16	1.500 kg	200 g	1500 x 1500	15.168
71938	Xtrem Lion S 1515-3T/16	3.000 kg	500 g	1500 x 1500	15.168
71939	Xtrem Lion S 1515-5T/16	5.000 kg	1.000 g	1500 x 1500	15.168
71940	Xtrem Lion S 2015-1,5T/16	1.500 kg	200 g	2000 x 1500	18.336
71941	Xtrem Lion S 2015-3T/16	3.000 kg	500 g	2000 x 1500	18.336
71942	Xtrem Lion S 2015-5T/16	5.000 kg	1.000 g	2000 x 1500	18.336

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
8033	ISOCAL certificate from 3001 kg to 10000 kg	138



▶ GRAM Xtrem Lion S / 16

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
71183	RLI-10 Stainless Steel access Ramp 1210 and GLI	2.370
71184	RLI-12 Stainless Steel access Ramp 1212 and 1512	2.680
71185	RLI-15 Stainless Steel access Ramp 1515 and 2015	3.120
60985	MPI-1210 Stainless Steel Pit Frame	660
70925	MPI-1212 Stainless Steel Pit Frame	700
4843	MPI-1512 Stainless Steel Pit Frame	720
70807	MPI-1515 Stainless Steel Pit Frame	770
71943	FLI 12 Stainless Steel Forklift Guides	600


Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

► GRAM Xtrem Lion S / 4 - M

(1/2)



► Xtrem module included.



► Z-Link connection included.



Superior access to load cells. Sheet thickness 6 mm.



► Xtrem PC software and Xtrem App included.



► Optional indicators.

Ref.	Model (0)	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71909M	Xtrem Lion S 1210-600/4		300 / 600	100 / 200	1200 x 1000	3.170
71910M	Xtrem Lion S 1210-1,5T/4		600 / 1500	200 / 500	1200 x 1000	2.882
71911M	Xtrem Lion S 1210-3T/4		1500 / 3000	500 / 1000	1200 x 1000	2.882
71912M	Xtrem Lion S 1210-5T/4		3000 / 5000	1000 / 2000	1200 x 1000	3.245
71913M	Xtrem Lion S 1212-600/4		300 / 600	100 / 200	1200 x 1200	3.609
71914M	Xtrem Lion S 1212-1,5T/4		600 / 1500	200 / 500	1200 x 1200	3.245
71915M	Xtrem Lion S 1212-3T/4		1500 / 3000	500 / 1000	1200 x 1200	3.245
71916M	Xtrem Lion S 1212-5T/4		3000 / 5000	1000 / 2000	1200 x 1200	3.609
71917M	Xtrem Lion S 1512-1,5T/4		600 / 1500	200 / 500	1500 x 1200	3.791
71918M	Xtrem Lion S 1512-3T/4		1500 / 3000	500 / 1000	1500 x 1200	3.791
71919M	Xtrem Lion S 1512-5T/4		3000 / 5000	1000 / 2000	1500 x 1200	4.155
71920M	Xtrem Lion S 1515-1,5T/4		600 / 1500	200 / 500	1500 x 1500	4.564
71921M	Xtrem Lion S 1515-3T/4		1500 / 3000	500 / 1000	1500 x 1500	4.564
71922M	Xtrem Lion S 1515-5T/4		3000 / 5000	1000 / 2000	1500 x 1500	4.927
71923M	Xtrem Lion S 2015-1,5T/4		600 / 1500	200 / 500	2000 x 1500	5.700
71924M	Xtrem Lion S 2015-3T/4		1500 / 3000	500 / 1000	2000 x 1500	5.700
71925M	Xtrem Lion S 2015-5T/4		3000 / 5000	1000 / 2000	2000 x 1500	6.064

Ref.	Options	MSRP (€)
6210	Z8i indicator	M 1.340
72098	K3X indicator	M 120
72099	K3iX indicator	M 220
72100	K3iX P indicator	M 450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
8033	ISOCAL certificate from 3001 kg to 10000 kg	138



▶ GRAM Xtrem Lion S / 4 - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
71183	RLI-10 Stainless Steel access Ramp 1210 and GLI	2.370
71184	RLI-12 Stainless Steel access Ramp 1212 and 1512	2.680
71185	RLI-15 Stainless Steel access Ramp 1515 and 2015	3.120
60985	MPI-1210 Stainless Steel Pit Frame	660
70925	MPI-1212 Stainless Steel Pit Frame	700
4843	MPI-1512 Stainless Steel Pit Frame	720
70807	MPI-1515 Stainless Steel Pit Frame	770
71943	FLI 12 Stainless Steel Forklift Guides	600


Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

► GRAM Xtrem Lion S / 16 - M

(1/2)



► Xtrem module included.



► Z-Link connection included.



Superior access to load cells. Sheet thickness 6 mm.



► Xtrem PC software and Xtrem App included.



► Optional indicators.

Ref.	Model (0)	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71926M	Xtrem Lion S 1210-600/16		300 / 600	100 / 200	1200 x 1000	11.409
71927M	Xtrem Lion S 1210-1,5T/16		600 / 1500	200 / 500	1200 x 1000	11.409
71928M	Xtrem Lion S 1210-3T/16		1500 / 3000	500 / 1000	1200 x 1000	11.409
71929M	Xtrem Lion S 1210-5T/16		3000 / 5000	1000 / 2000	1200 x 1000	11.409
71930M	Xtrem Lion S 1212-600/16		300 / 600	100 / 200	1200 x 1200	12.177
71931M	Xtrem Lion S 1212-1,5T/16		600 / 1500	200 / 500	1200 x 1200	12.177
71932M	Xtrem Lion S 1212-3T/16		1500 / 3000	500 / 1000	1200 x 1200	12.177
71933M	Xtrem Lion S 1212-5T/16		3000 / 5000	1000 / 2000	1200 x 1200	12.177
71934M	Xtrem Lion S 1512-1,5T/16		600 / 1500	200 / 500	1500 x 1200	13.155
71935M	Xtrem Lion S 1512-3T/16		1500 / 3000	500 / 1000	1500 x 1200	13.155
71936M	Xtrem Lion S 1512-5T/16		3000 / 5000	1000 / 2000	1500 x 1200	13.155
71937M	Xtrem Lion S 1515-1,5T/16		600 / 1500	200 / 500	1500 x 1500	15.268
71938M	Xtrem Lion S 1515-3T/16		1500 / 3000	500 / 1000	1500 x 1500	15.268
71939M	Xtrem Lion S 1515-5T/16		3000 / 5000	1000 / 2000	1500 x 1500	15.268
71940M	Xtrem Lion S 2015-1,5T/16		600 / 1500	200 / 500	2000 x 1500	18.445
71941M	Xtrem Lion S 2015-3T/16		1500 / 3000	500 / 1000	2000 x 1500	18.445
71942M	Xtrem Lion S 2015-5T/16		3000 / 5000	1000 / 2000	2000 x 1500	18.445

Ref.	Options	M	MSRP (€)
6210	Z8i indicator	M	1.340
72098	K3X indicator	M	120
72099	K3iX indicator	M	220
72100	K3iX P indicator	M	450
72026A	PC Xtrem software (includes self-powered PC cable)		70
33819A	Xtrem App for Android (including WiFi connection and power cable)		130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)		195
32351	Z-Link Connection 8m		45
32352	Z-Link Connection 15m		75
71683	WiFi connection (1)		60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)		130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)		195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)		195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App		390
8025	ISOCAL certificate from 301 kg to 600 kg		80
8029	ISOCAL certificate from 601 kg to 1500 kg		88
8030	ISOCAL certificate from 1501 kg to 3000 kg		98
8033	ISOCAL certificate from 3001 kg to 10000 kg		138



▶ GRAM Xtrem Lion S / 16 - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
71183	RLI-10 Stainless Steel access Ramp 1210 and GLI	2.370
71184	RLI-12 Stainless Steel access Ramp 1212 and 1512	2.680
71185	RLI-15 Stainless Steel access Ramp 1515 and 2015	3.120
60985	MPI-1210 Stainless Steel Pit Frame	660
70925	MPI-1212 Stainless Steel Pit Frame	700
4843	MPI-1512 Stainless Steel Pit Frame	720
70807	MPI-1515 Stainless Steel Pit Frame	770
71943	FLI 12 Stainless Steel Forklift Guides	600

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Cayman S

(1/2)



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
70311	Xtrem Cayman S88-600/4	600 kg	100 g	800 x 800	1.627
70312	Xtrem Cayman S1010-600/4	600 kg	100 g	1000 x 1000	1.864
71708	Xtrem Cayman S1210-1,5T/4	1.500 kg	200 g	1200 x 1000	2.091
71709	Xtrem Cayman S1210-3T/4	3.000 kg	500 g	1200 x 1000	2.091
71710	Xtrem Cayman S1212-1,5T/4	1.500 kg	200 g	1200 x 1200	2.355
71711	Xtrem Cayman S1212-3T/4	3.000 kg	500 g	1200 x 1200	2.355
71712	Xtrem Cayman S1512-1,5T/4	1.500 kg	200 g	1500 x 1200	2.682
71713	Xtrem Cayman S1512-3T/4	3.000 kg	500 g	1500 x 1200	2.682
71714	Xtrem Cayman S1515-1,5T/4	1.500 kg	200 g	1500 x 1500	3.091
71715	Xtrem Cayman S1515-3T/4	3.000 kg	500 g	1500 x 1500	3.091
71719	Xtrem Cayman S1210-1,5T/16	1.500 kg	200 g	1200 x 1000	4.964
72003	Xtrem Cayman S1210-3T/16	3.000 kg	500 g	1200 x 1000	4.964
72004	Xtrem Cayman S1212-1,5T/16	1.500 kg	200 g	1200 x 1200	6.086
72005	Xtrem Cayman S1212-3T/16	3.000 kg	500 g	1200 x 1200	6.086
72006	Xtrem Cayman S1512-1,5T/16	1.500 kg	200 g	1500 x 1200	6.873
72007	Xtrem Cayman S1512-3T/16	3.000 kg	500 g	1500 x 1200	6.873
71720	Xtrem Cayman S1515-1,5T/16	1.500 kg	200 g	1500 x 1500	7.536
71721	Xtrem Cayman S1515-3T/16	3.000 kg	500 g	1500 x 1500	7.536

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



▶ GRAM Xtrem Cayman S

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
71183	RLI-10 Stainless Steel access Ramp 1210 and GLI	2.370
71184	RLI-12 Stainless Steel access Ramp 1212 and 1512	2.680
71185	RLI-15 Stainless Steel access Ramp 1515 and 2015	3.120
60985	MPI-1210 Stainless Steel Pit Frame	660
70925	MPI-1212 Stainless Steel Pit Frame	700
4843	MPI-1512 Stainless Steel Pit Frame	720
70807	MPI-1515 Stainless Steel Pit Frame	770
71943	FLI 12 Stainless Steel Forklift Guides	600

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

► GRAM Xtrem Cayman S - M

(1/2)



GRAM Next



XTREM

► Xtrem module included.



ZLink

► Z-Link connection included.



► Xtrem PC software and Xtrem App included.



► Optional indicators.

Ref.	Model (0)	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
70311M	Xtrem Cayman S88-600/4		300 / 600	100 / 200	800 x 800	1.691
70312M	Xtrem Cayman S 1010-600/4		300 / 600	100 / 200	1000 x 1000	1.927
71708M	Xtrem Cayman S1210-1,5T/4		600 / 1500	200 / 500	1200 x 1000	2.155
71709M	Xtrem Cayman S1210-3T/4		1500 / 3000	500 / 1000	1200 x 1000	2.155
71710M	Xtrem Cayman S1212-1,5T/4		600 / 1500	200 / 500	1200 x 1200	2.418
71711M	Xtrem Cayman S1212-3T/4		1500 / 3000	500 / 1000	1200 x 1200	2.418
71712M	Xtrem Cayman S1512-1,5T/4		600 / 1500	200 / 500	1500 x 1200	2.745
71713M	Xtrem Cayman S1512-3T/4		1500 / 3000	500 / 1000	1500 x 1200	2.745
71714M	Xtrem Cayman S1515-1,5T/4		600 / 1500	200 / 500	1500 x 1500	3.155
71715M	Xtrem Cayman S1515-3T/4		1500 / 3000	500 / 1000	1500 x 1500	3.155
71719M	Xtrem Cayman S1210-1,5T/16		600 / 1500	200 / 500	1200 x 1000	5.018
72003M	Xtrem Cayman S1210-3T/16		1500 / 3000	500 / 1000	1200 x 1000	5.018
72004M	Xtrem Cayman S1212-1,5T/16		600 / 1500	200 / 500	1200 x 1200	6.123
72005M	Xtrem Cayman S1212-3T/16		1500 / 3000	500 / 1000	1200 x 1200	6.123
72006M	Xtrem Cayman S1512-1,5T/16		600 / 1500	200 / 500	1500 x 1200	6.927
72007M	Xtrem Cayman S1512-3T/16		1500 / 3000	500 / 1000	1500 x 1200	6.927
71720M	Xtrem Cayman S1515-1,5T/16		600 / 1500	200 / 500	1500 x 1500	7.573
71721M	Xtrem Cayman S1515-3T/16		1500 / 3000	500 / 1000	1500 x 1500	7.573

Ref.	Options	MSRP (€)
6210	Z8i indicator M	1.340
72098	K3X indicator M	120
72099	K3iX indicator M	220
72100	K3iX P indicator M	450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



▶ GRAM Xtrem Cayman S - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
71183	RLI-10 Stainless Steel access Ramp 1210 and GLI	2.370
71184	RLI-12 Stainless Steel access Ramp 1212 and 1512	2.680
71185	RLI-15 Stainless Steel access Ramp 1515 and 2015	3.120
60985	MPI-1210 Stainless Steel Pit Frame	660
70925	MPI-1212 Stainless Steel Pit Frame	700
4843	MPI-1512 Stainless Steel Pit Frame	720
70807	MPI-1515 Stainless Steel Pit Frame	770
71943	FLI 12 Stainless Steel Forklift Guides	600

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Penguin S

(1/2)



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71663	Xtrem Penguin S 8080-600/4	600 kg	100 g	800 x 800	2.320
71738	Xtrem Penguin S EP-1,5T/4	1.500 kg	200 g	1600 x 900	3.990
71739	Xtrem Penguin S EP-3T/4	3.000 kg	500 g	1600 x 900	3.990
71740	Xtrem Penguin S 1212-1.5/4	1.500 kg	200 g	1200 x 1200	3.890
71741	Xtrem Penguin S 1212-3T/4	3.000 kg	500 g	1200 x 1200	3.890
71742	Xtrem Penguin S 1515-1.5T/4	1.500 kg	200 g	1500 x 1500	4.970
71743	Xtrem Penguin S 1515-3T/4	3.000 kg	500 g	1500 x 1500	4.970



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



▶ GRAM Xtrem Penguin S

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
60170	Access Ramp for Penguin S 88	450
60171	Access Ramp for Penguin S EP	600
60172	Access Ramp for Penguin S 1212	750
60173	Access Ramp for Penguin S 1515	900

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

► GRAM Xtrem Penguin S - M

(1/2)



Ref.	Model (0)	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71663M	Xtrem Penguin S 8080-600/4		300 / 600	100 / 200	800 x 800	2.620
71738M	Xtrem Penguin S EP-1,5T/4		600 / 1500	200 / 500	1600 x 900	4.290
71739M	Xtrem Penguin S EP-3T/4		1500 / 3000	500 / 1000	1600 x 900	4.290
71740M	Xtrem Penguin S 1212-1.5/4		600 / 1500	200 / 500	1200 x 1200	4.190
71741M	Xtrem Penguin S 1212-3T/4		1500 / 3000	500 / 1000	1200 x 1200	4.190
71742M	Xtrem Penguin S 1515-1.5T/4		600 / 1500	200 / 500	1500 x 1500	5.270
71743M	Xtrem Penguin S 1515-3T/4		1500 / 3000	500 / 1000	1500 x 1500	5.270

Ref.	Options	MSRP (€)
6210	Z8i indicator M	1.340
72098	K3X indicator M	120
72099	K3iX indicator M	220
72100	K3iX P indicator M	450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



▶ GRAM Xtrem Penguin S - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Platform Accessories	MSRP (€)
60170	Access Ramp for Penguin S 88	450
60171	Access Ramp for Penguin S EP	600
60172	Access Ramp for Penguin S 1212	750
60173	Access Ramp for Penguin S 1515	900

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

► GRAM Xtrem Crocodile S

(1/2)



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
72035	Xtrem Crocodile S 88-300	300 kg	50 g	800 x 800	6.550
72036	Xtrem Crocodile S 88-600	600 kg	100 g	800 x 800	6.550
72037	Xtrem Crocodile S 1010-300	300 kg	50 g	1000 x 1000	6.890
72038	Xtrem Crocodile S 1010-600	600 kg	100 g	1000 x 1000	6.890
72039	Xtrem Crocodile S 1212-600	600 kg	100 g	1200 x 1200	8.860
72040	Xtrem Crocodile S 1212-1,5T	1.500 kg	200 g	1200 x 1200	8.860
72041	Xtrem Crocodile S 1515-600	600 kg	100 g	1500 x 1500	10.590
72042	Xtrem Crocodile S 1515-1,5T	1.500 kg	200 g	1500 x 1500	10.590



► Xtrem module included.



► Z-Link connection included.



► Xtrem PC software and Xtrem App included.



► Optional indicators.

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88



▶ GRAM Xtrem Crocodile S

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

► GRAM Xtrem Crocodrile S - M

(1/2)



Ref.	Model (0)	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
72036M	Xtrem Crocodile S 8080-600		300 / 600	100 / 200	800 x 800	6.640
72038M	Xtrem Crocodile S 1010-600		300 / 600	100 / 200	1000 x 1000	6.980
72039M	Xtrem Crocodile S 1212-600		300 / 600	100 / 200	1200 x 1200	8.950
72040M	Xtrem Crocodile S 1212-1,5T		600 / 1500	200 / 500	1200 x 1200	8.950
72041M	Xtrem Crocodile S 1515-600		300 / 600	100 / 200	1500 x 1500	10.680
72042M	Xtrem Crocodile S 1515-1,5T		600 / 1500	200 / 500	1500 x 1500	10.680

Ref.	Options	M	MSRP (€)
6210	Z8i indicator	M	1.340
72098	K3X indicator	M	120
72099	K3iX indicator	M	220
72100	K3iX P indicator	M	450
72026A	PC Xtrem software (includes self-powered PC cable)		70
33819A	Xtrem App for Android (including WiFi connection and power cable)		130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)		195
32351	Z-Link Connection 8m		45
32352	Z-Link Connection 15m		75
71683	WiFi connection (1)		60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)		130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)		195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)		195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App		390
8025	ISOCAL certificate from 301 kg to 600 kg		80
8029	ISOCAL certificate from 601 kg to 1500 kg		88



► Xtrem module included.



► Z-Link connection included.



► Xtrem PC software and Xtrem App included.



► Optional indicators.



▶ GRAM Xtrem Crocodrile S - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

► GRAM Xtrem Scorpion S

(1/2)



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71700	Xtrem Scorpion S 1,5T /4	1.500 kg	200 g	925 x 1200	2.640
71716	Xtrem Scorpion S 1,5T /16	1.500 kg	200 g	925 x 1200	5.500

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8029	ISOCAL certificate from 601 kg to 1500 kg	88



▶ GRAM Xtrem Scorpion S

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem Scorpion S - M

(1/2)



Ref.	Model (0)	M	Cap. (kg)	Res. (g)	Pan size (mm)	MSRP (€)
71700M	Xtrem Scorpion S 1,5T/4		600 / 1500	200 / 500	925 x 1200	2.680
71716M	Xtrem Scorpion S 1,5T/16		600 / 1500	200 / 500	925 x 1200	5.560

Ref.	Options	MSRP (€)
6210	Indicator Z8i	M 1.340
72098	K3X indicator	M 120
72099	K3iX indicator	M 220
72100	K3iX P indicator	M 450
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8029	ISOCAL certificate from 601 kg to 1500 kg	88



▶ Xtrem module included.



▶ Z-Link connection included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.



▶ GRAM Xtrem Scorpion S - M

(2/2)

Ref.	Options for K3X, K3iX	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3iX P (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40

► GRAM Xtrem Zebra S

(1/2)



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
72151	Xtrem Zebra S 8-600 /4	600 kg	200 g	60 x 130 x 800	1.070
72152	Xtrem Zebra S 8-1,5T /4	1.500 Kg	500 g	60 x 130 x 800	1.070
72153	Xtrem Zebra S 8-3T /4	3.000 kg	1.000 g	60 x 130 x 800	1.070
72154	Xtrem Zebra S 12-600 /4	600 kg	200 g	75 x 150 x 1200	1.170
72155	Xtrem Zebra S 12-1,5T /4	1.500 Kg	500 g	75 x 150 x 1200	1.170
72156	Xtrem Zebra S 12-3T /4	3.000 kg	1.000 g	75 x 150 x 1200	1.170
72157	Xtrem Zebra S 8-600 /16	600 kg	200 g	60 x 130 x 800	7.590
72158	Xtrem Zebra S 8-1,5T /16	1.500 Kg	500 g	60 x 130 x 800	7.590
72159	Xtrem Zebra S 8-3T /16	3.000 kg	1.000 g	60 x 130 x 800	7.590
72160	Xtrem Zebra S 12-600 /16	600 kg	200 g	75 x 150 x 1200	8.170
72161	Xtrem Zebra S 12-1,5T /16	1.500 Kg	500 g	75 x 150 x 1200	8.170
72162	Xtrem Zebra S 12-3T /16	3.000 kg	1.000 g	75 x 150 x 1200	8.170



► Xtrem module included.



► Z-Link connection included.



► Xtrem PC software and Xtrem App included.



► Optional indicators.

Ref.	Options	MSRP (€)
6210	Z8i indicator	1.340
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



▶ GRAM Xtrem Zebra S

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Platform Accessories	MSRP (€)
33745	Anchor plates Kit (4u.)	360

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

AERIAL WEIGHING




GRAM ▼

▶ GRAM CR

Ref.	Model	Capacity	Readability	Dim. (mm)	MSRP (€)
6072	CR-30	30 kg	10 g	290 x 87 x 50	69
60252	CR-150	150 kg	50 g	290 x 87 x 50	69
6074	CR-300	300 kg	100 g	290 x 87 x 50	69

Ref.	Options	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45
8024	ISOICAL certificate from 31 kg to 300 kg	58



Aluminum structure.



▶ GRAM CR-S

Ref.	Model	Capacity	Readability	Dim. (mm)	MSRP (€)
60815	CR-30S	30 kg	10 g	290 x 87 x 50	54
60816	CR-150S	150 kg	50 g	290 x 87 x 50	54
60817	CR-300S	300 kg	100 g	290 x 87 x 50	54

Ref.	Options	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45
8024	ISOICAL certificate from 31 kg to 300 kg	58




ABS structure.



▶ GRAM C3

Ref.	Model	Capacity	Readability	Dim. (mm)	MSRP (€)
60203	C3-300	300 kg	50 g	320 x 145 x 70	99
60204	C3-500	500 kg	100 g	320 x 145 x 70	99
60959	C3-1T	1.000 kg	200 g	320 x 145 x 70	135

Ref.	Options	MSRP (€)
8024	ISOICAL certificate from 31 kg to 300 kg	58
8025	ISOICAL certificate from 301 kg to 600 kg	80
8029	ISOICAL certificate from 601 kg to 1500 kg	88



► GRAM C5



Ref.	Model	Capacity	Readability	Dim. (mm)	MSRP (€)
60915	C5-1T	1.000 kg	0,2 kg	510 x 185 x 190	225
60206	C5-3T	3.000 kg	1 kg	510 x 185 x 190	255
60207	C5-5T	5.000 kg	2 kg	550 x 185 x 190	290
60208	C5-10T	10.000 kg	5 kg	695 x 185 x 190	440

Ref.	Options	MSRP (€)
8029	ISOICAL certificate from 601 kg to 1500 kg	88
8030	ISOICAL certificate from 1501 kg to 3000 kg	98
8033	ISOICAL certificate from 3001 kg to 10000 kg	138



► GRAM C6



Ref.	Model	Capacity	Readability	Dim. (mm)	MSRP (€)
61106	C6-1T	1.000 kg	0,5 kg	320 x 125 x 200	250
60893	C6-3T	3.000 kg	1 kg	320 x 125 x 200	290
60894	C6-5T	5.000 kg	2 kg	395 x 148 x 220	330
60895	C6-10T	10.000 kg	5 kg	460 x 185 x 235	395
60896	C6-15T	15.000 kg	5 kg	530 x 220 x 260	660
60897	C6-20T	20.000 kg	10 kg	620 x 294 x 300	1.140
60898	C6-30T	30.000 kg	20 kg	760 x 356 x 340	1.960

Ref.	Options	MSRP (€)
8029	ISOICAL certificate from 601 kg to 1500 kg	88
8030	ISOICAL certificate from 1501 kg to 3000 kg	98
8033	ISOICAL certificate from 3001 kg to 10000 kg	138

Ref.	Accessories	MSRP (€)
60953	C6P Wireless indicator with printer	430



▶ GRAM C7

Ref.	Model	Capacity	Readability	Dim. (mm)	MSRP (€)
71170	C7-3T	3.000 kg	1 kg	500 x 110 x 140	250
71171	C7-5T	5.000 kg	2 kg	590 x 110 x 160	295
71172	C7-10T	10.000 kg	5 kg	640 x 110 x 185	355

Ref.	Options	MSRP (€)
8030	ISOICAL certificate from 1501 kg to 3000 kg	98
8033	ISOICAL certificate from 3001 kg to 10000 kg	138

Ref.	Accessories	MSRP (€)
60953	C6P Wireless indicator with printer	430



▶ GRAM C9

Ref.	Model	Capacity	Readability	Dim. (mm)	MSRP (€)
71173	C9-3T	3.000 kg	1 kg	490 x 115 x 140	395
71174	C9-5T	5.000 kg	2 kg	550 x 115 x 160	435

Ref.	Options	MSRP (€)
8030	ISOICAL certificate from 1501 kg to 3000 kg	98
8033	ISOICAL certificate from 3001 kg to 10000 kg	138



WEIGHING INDICATORS



GRAM



▶ GRAM Z8i

Ref.	Model	Readability	Material	MSRP (€)
6210	Z8i	1024 x 600 pixel	Stainless Steel	1.340

Ref.	Accesorios	PVP (€)
10088Z	QXS stainless steel column for Z8i (X1 only on the short side, X2)	80
10089Z	QXM stainless steel column for Z8i (X1, X2)	105
10090Z	QXL stainless steel column for Z8i (X3, X4)	155
70306Z	RPS stainless steel column for Z8i (F1 only on the short side, F2, F3, F4)	70
70307Z	RPM stainless steel column for Z8i (F2, F3, F4)	75
70308Z	RPL stainless steel column for Z8i (F2 only on the short side, F3, F4)	80
70303Z	RXS stainless steel column for Z8i (F1 only on the short side, F2, F3, F4)	120
70304Z	RXM stainless steel column for Z8i (F2, F3, F4)	150
70305Z	RXL stainless steel column for Z8i (F2 sólo por el lado corto, F3, F4)	160
3804Z	CS-1 painted steel floor stand with stainless column for Z8i	170
3805Z	CS-1 S stainless steel floor stand with stainless column for Z8i	420




(1) They are exclusive, only one of them can be used.

► GRAM K3X

GRAM  Next



Ref.	Model	Readability	Material	MSRP (€)
71423	K3X	100.000 divisions	ABS	120
72098	K3X 	100.000 divisions	ABS	120

Ref.	Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Accessories	MSRP (€)
70034X	PR4 printer with cable for K3X, K3iX, K3W, K3iW (2)	190
70814A	Q2 label printer with cable for K3X, K3iX, K3W, K3iW (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX, K3W, K3iW (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3W, K3iW (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X	150
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X	400
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X)	40



(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM K3iX

Ref.	Model	Readability	Material	MSRP (€)
71641	K3iX	100.000 divisions	Stainless Steel	220
72099	K3iX M	100.000 divisions	Stainless Steel	220

Ref.	Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Accessories	MSRP (€)
70034X	PR4 printer with cable for K3X, K3iX, K3W, K3iW (2)	190
70814A	Q2 label printer with cable for K3X, K3iX, K3W, K3iW (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX, K3W, K3iW (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3W, K3iW (2)	170
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iX P	170
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30




(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM K3iX P

GRAM  Next



Ref.	Model	Readability	Material	MSRP (€)
71647	K3iX P	100.000 divisions	Stainless Steel	450
72100	K3iX P 	100.000 divisions	Stainless Steel	450

Ref.	Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150

Ref.	Accessories	MSRP (€)
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX P	170
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX P	420
32278	Stainless steel U wall support (K3iX P)	30



▶ GRAM K3i P

Ref.	Model	Readability	Material	MSRP (€)
60960	K3i P	100.000 divisions	Stainless Steel	380

Ref.	Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (1)	190
70814A	Q2 label printer with cable for K3, K3i (1)	250
70814B	Q2 ticket printer with cable for K3, K3i (1)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (1)	170
6170A	K3 Repeater Indicator with 4m cable (1)	190
6171A	K3i Repeater Indicator with 4m cable (1)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (1)	60
33770	USB Output (1)	80
3804B	CS-1 Painted steel floor stand with stainless steel column for K3i, K3i P	170
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3i, K3i P	420
32278	Stainless steel U wall support (K3i, K3iP)	30



(1) They are exclusive, only one of them can be used, only one of them can be used, except if the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

► GRAM K3W

GRAM Core



Ref.	Model	Readability	Material	MSRP (€)
71593	K3W	100.000 divisions	ABS	250

Ref.	Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Accessories	MSRP (€)
70034X	PR4 printer with cable for K3X, K3iX, K3W, K3iW (2)	190
70814A	Q2 label printer with cable for K3X, K3iX, K3W, K3iW (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX, K3W, K3iW (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3W, K3iW (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3W	150
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3W	400
32278	Stainless steel U wall support (K3W, K3iW)	30
31661	Painted steel wall support with ABS swivel base (K3W)	40



(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Z3

Ref.	Model	Readability	Material	MSRP (€)
71093	Z3	100.000 divisions	ABS	90

Ref.	Accessories	MSRP (€)
70034F	PR4 printer with with 1,5 m cable for Z3, Z3T (1)	180
70814F	Q2 label printer with cable for Z3 (1)	250
70814G	Q2 ticket printer with cable for Z3 (1)	250
5263F	RD3 Repeater Indicator with 4m cable for Z3, Z3T, Zmissil (1)	170
71093F	Z3 repeater indicator for connection to Z3 equipment with 4m cable (1)	160
3792B	EX-Link software (includes cable to PC Z)	70
71722F	PW-Link Software (includes cable to PC Z)	270
36786	USB Direct cable Z	60
31661	Painted steel wall support with ABS swivel base (Z3)	40



(1) They are exclusive, only one of them can be used.

► GRAM K3iW

Ref.	Model	Readability	Material	MSRP (€)
71642	K3iW	100.000 divisions	Stainless Steel	330

Ref.	Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Accessories	MSRP (€)
70034X	PR4 printer with cable for K3X, K3iX, K3W, K3iW (2)	190
70814A	Q2 label printer with cable for K3X, K3iX, K3W, K3iW (2)	250
70814B	Q2 ticket printer with cable for K3X, K3iX, K3W, K3iW (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3X, K3iX, K3W, K3iW (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iW	170
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iW	420
32278	Stainless steel U wall support (K3W, K3iW)	30



(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM K3

GRAM Core



Ref.	Model	Readability	Material	MSRP (€)
6170	K3	100.000 divisions	ABS	120

Ref.	Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40
32277	RS-232 second output	70

Ref.	Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (1)	190
70814A	Q2 label printer with cable for K3, K3i (1)	250
70814B	Q2 ticket printer with cable for K3, K3i (1)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (1)	170
6950	RD3W Repeater Indicator (6)	230
6170A	K3 Repeater Indicator with 4m cable (1)	190
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (1)	60
33770	USB Output (1)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3	150
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3	400
32278	Stainless steel U wall support (K3, K3i, K3i P)	30
31661	Painted steel wall support with ABS swivel base (K3)	40



(1) They are mutually exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(6) Wireless connection of K3, K3i is included.

(7) Includes WiFi board for K3/K3i.

► GRAM K3i

Ref.	Model	Readability	Material	MSRP (€)
6171	K3i	100.000 divisions	Stainless Steel	220

Ref.	Options	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40
32277	Second RS-232 output	70

Ref.	Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (1)	190
70814A	Q2 label printer with cable for K3, K3i (1)	250
70814B	Q2 ticket printer with cable for K3, K3i (1)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (1)	170
6950	RD3W Repeater Indicator (6)	230
6171A	K3i Repeater Indicator with 4m cable (1)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (1)	60
33770	USB Output (1)	80
3804B	CS-1 Painted steel floor stand with stainless steel column for K3i, K3i P	170
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3i, K3i P	420
32278	Stainless steel U wall support (K3, K3i, K3iP)	30



(1) They are mutually exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(6) Wireless connection of K3, K3i is included.

(7) Includes WiFi board for K3/K3i.

▶ GRAM MK3

GRAM Core



Ref.	Model	Readability	Material	MSRP (€)
60135	MK3	100.000 divisions	ABS / Stainless Steel	390

Ref.	Accessories	MSRP (€)
70034X	PR4 printer with cable for MK3, MK3 P (1)	190
70814A	Q2 label printer with cable for MK3, MK3 (1)	250
70814B	Q2 ticket printer with cable for MK3, MK3 (1)	250
5263A	RD3 Repeater Indicator with 4m cable for MK3, MK3 (1)	170
6170A	K3 Repeater Indicator with 4m cable (1)	190
6171A	K3i Repeater Indicator with 4m cable (1)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (1)	60
33770	USB Output (1)	80



(1) They are exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

▶ GRAM MK3 PRINTER

Ref.	Model	Readability	Material	MSRP (€)
60823	MK3 Printer	100.000 divisions	ABS / Stainless Steel	540

Ref.	Accessories	MSRP (€)
70034X	PR4 printer with cable for MK3, MK3 P (1)	190
70814A	Q2 label printer with cable for MK3, MK3 (1)	250
70814B	Q2 ticket printer with cable for MK3, MK3 (1)	250
5263A	RD3 Repeater Indicator with 4m cable for MK3, MK3 (1)	170
6170A	K3 Repeater Indicator with 4m cable (1)	190
6171A	K3i Repeater Indicator with 4m cable (1)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (1)	60
33770	USB Output (1)	80



(1) They are exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

► GRAM K2

GRAM Core



Ref.	Model	Readability	Material	MSRP (€)
60018	K2	60.000 divisions	ABS	110

Ref.	Accessories	MSRP (€)
70034C	PR4 printer with cable for K2, SC2	180
70814E	Q2 ticket printer with for K2, SC2	250
71722J	PW-Link Software (including PC cable for K2, SC2)	240
31661	Painted steel wall support with ABS swivel base	40



► GRAM K2E

GRAM Core



Ref.	Model	Readability	Material	MSRP (€)
60020	K2E	60.000 divisions	ABS	110

Ref.	Accessories	MSRP (€)
70034C	PR4 printer with cable for K2, SC2	180
70814E	Q2 ticket printer with for K2, SC2	250
71722J	PW-Link Software (including PC cable for K2, SC2)	240
31661	Painted steel wall support with ABS swivel base	40



► GRAM K2N

Ref.	Model	Readability	Material	MSRP (€)
60019	K2N	60.000 divisions	ABS	110

Ref.	Options	MSRP (€)
70331	3 Relays board	110

Ref.	Accessories	MSRP (€)
70034C	PR4 printer with cable for K2, SC2	180
70814E	Q2 ticket printer with for K2, SC2	250
71722J	PW-Link Software (including PC cable for K2, SC2)	240
31661	Painted steel wall support with ABS swivel base	40



► GRAM K2P

Ref.	Model	Readability	Material	MSRP (€)
60022	K2P	60.000 divisions	ABS	110

Ref.	Accessories	MSRP (€)
70034C	PR4 printer with cable for K2, SC2	180
70814E	Q2 ticket printer with for K2, SC2	250
71722J	PW-Link Software (including PC cable for K2, SC2)	240
31661	Painted steel wall support with ABS swivel base	40



► GRAM SC2



Ref.	Model	Readability	Material	MSRP (€)
5305	SC2	30.000 divisions	ABS	110

Ref.	Accessories	MSRP (€)
70034C	PR4 printer with cable for K2, SC2	180
70814E	Q2 ticket printer with for K2, SC2	250
71722J	PW-Link Software (including PC cable for K2, SC2)	240
31661	Painted steel wall support with ABS swivel base	40



► GRAM K4i



Ref.	Model	Readability	Material	MSRP (€)
60136	K4i (1)	30.000 / 60.000 divisions	Stainless Steel	350

Ref.	Accessories	MSRP (€)
70034	PR4 Printer (RS-232) (2)	170
36857	RS-232 to PC cable	50
36858	RS-232 to Printer cable	15



(1) For verified equipment, one of the options C3 Cells, Indicator "M" and Certificate of Verification must be included.

(2) Requires RS-232 to Printer cable.


WEIGHING MODULES



GRAM ▼

▶ GRAM Xtrem MK

(1/2)

GRAM  Next

- ▶ Xtrem module and junction box included.



- ▶ Xtrem PC software and Xtrem App included.



- ▶ Optional indicators.

Ref.	Model	Capacity	Readability	Material	MSRP (€)
70553	MK Xtrem 1T	4 x 1000 kg	=> 200 g	Nickel steel	780
70554	MK Xtrem 2,5T	4 x 2500 kg	=> 500 g	Nickel steel	780
70555	MK Xtrem 5T	4 x 5000 kg	=> 1000 g	Nickel steel	1.090
70556	MK Xtrem 1T S	4 x 1000 kg	=> 200 g	Stainless steel	1.550
70557	MK Xtrem 2,5T S	4 x 2500 kg	=> 500 g	Stainless steel	1.550
70558	MK Xtrem 5T S	4 x 5000 kg	=> 1000 g	Stainless steel	2.460

Ref.	Options	MSRP (€)
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390



▶ GRAM Xtrem MK

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

▶ GRAM Xtrem WM

(1/2)

GRAM  Next

▶ Xtrem module and junction box included.



▶ Xtrem PC software and Xtrem App included.



▶ Optional indicators.

Ref.	Model	Capacity	Readability	Material	MSRP (€)
30532	WM Xtrem 500	4 x 500 kg	=> 200 g	Nickel steel	450
30533	WM Xtrem 1T	4 x 1000 kg	=> 500 g	Nickel steel	450
70202	WM Xtrem 2T	4 x 2000 kg	=> 1000 g	Nickel steel	450
30534	WM Xtrem 500 S	4 x 500 kg	=> 200 g	Stainless steel	670
30535	WM Xtrem 1T S	4 x 1000 kg	=> 500 g	Stainless steel	670
30044	WM Xtrem 2T S	4 x 2000 kg	=> 1000 g	Stainless steel	670

Ref.	Options	MSRP (€)
72098	K3X indicator	120
72099	K3iX indicator	220
72100	K3iX P indicator	450
71593A	Indicator K3W (including WiFi for Xtrem and power supply cable)	350
71642A	Indicator K3iW (including WiFi for Xtrem and power supply cable)	440
72026A	PC Xtrem software (includes self-powered PC cable)	70
33819A	Xtrem App for Android (including WiFi connection and power cable)	130
71725A	Xtrem Premium App 1 year for Android (including WiFi connection and power cable)	195
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75
71683	WiFi connection (1)	60
71683A	WiFi connection with power supply cable (including PC Xtrem software) (1)	130
32377A	Ethernet connection with power supply cable (including PC Xtrem software) (1)	195
32382A	RS485 connection with power supply cable (including PC Xtrem software) (1)	195
72034A	Bluetooth label printer Q1 with Wifi board and 1 year Premium App	390



▶ GRAM Xtrem WM

(2/2)

Ref.	Options for K3X, K3W, K3iX, K3iW	MSRP (€)
32330	3 Relays board	100
32332	Tare pedal	150
33772	Date board	40

Ref.	Indicator Accessories	MSRP (€)
70034X	PR4 printer with cable for K3, K3i (2)	190
70814A	Q2 label printer with cable for K3, K3i (2)	250
70814B	Q2 ticket printer with cable for K3, K3i (2)	250
5263A	RD3 Repeater Indicator with 4m cable for K3, K3i (2)	170
6170A	K3 Repeater Indicator with 4m cable (2)	190
6171A	K3i Repeater Indicator with 4m cable (2)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (2)	60
33770	USB Output (2)	80
3804X	CS-1 Painted steel floor stand with stainless steel column for K3X, K3W	150
3804B	CS-1 Painted steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	170
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K3X, K3W	400
3805X	CS-1 S Stainless steel floor stand with stainless steel column for K3iX, K3iW, K3iX P	420
32278	Stainless steel U wall support (K3X, K3iX, K3iW, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (K3X, K3W)	40

(1) They are exclusive, only one of these options can be placed.

(2) They are exclusive, only one of them can be used.

ACCUREX LINE



ACCUREX

▶ ACCUREX DSX




Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
72071	DSX-3	3 kg	0,1 g	295 x 230	74
72072	DSX-6	6 kg	0,2 g	295 x 230	74
72073	DSX-15	15 kg	0,5 g	295 x 230	74
72074	DSX-30	30 kg	1 g	295 x 230	74



Ref.	Opciones	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45

▶ ACCUREX DSK




Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
72075	DSK-3	3 kg	0,1 g	295 x 230	74
72076	DSK-6	6 kg	0,2 g	295 x 230	74
72077	DSK-15	15 kg	0,5 g	295 x 230	74
72078	DSK-30	30 kg	1 g	295 x 230	74



Ref.	Opciones	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45

▶ ACCUREX PCX





Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71962	PCX-200	200 kg	50 g	310 x 390	65



Ref.	Opciones	MSRP (€)
8024	ISOICAL certificate from 31 kg to 300 kg	58

▶ ACCUREX RXT

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71859	RXT-15S	15 kg	2 g	300 x 400	99
71860	RXT-30S	30 kg	5 g	300 x 400	99
71861	RXT-60S	60 kg	10 g	300 x 400	99
71862	RXT-150S	150 kg	20 g	300 x 400	99
71863	RXT-30M	30 kg	5 g	400 x 500	120
71864	RXT-60M	60 kg	10 g	400 x 500	120
71865	RXT-150M	150 kg	20 g	400 x 500	120



Ref.	Opciones	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45
8024	ISOICAL certificate from 31 kg to 300 kg	58

▶ ACCUREX RX

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71363	RX-30S	30 kg	5 g	300 x 400	115
71364	RX-60S	60 kg	10 g	300 x 400	115
71365	RX-150S	150 kg	20 g	300 x 400	115
71366	RX-60M	60 kg	10 g	400 x 500	132
71367	RX-150M	150 kg	20 g	400 x 500	132
71368	RX-300M	300 kg	50 g	400 x 500	132
71370	RX-150L	150 kg	20 g	450 x 600	198
71371	RX-300L	300 kg	50 g	450 x 600	198



Ref.	Opciones	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45
8024	ISOICAL certificate from 31 kg to 300 kg	58


▶ ACCUREX TXM

Ref.	Model	M	Capacity	Readability	Pan size (mm)	MSRP(€)
4430	TXM-30S		30 kg	10 g	300 x 400	180
4431	TXM-60S		30 kg	20 g	300 x 400	180
4432	TXM-60M		60 kg	20 g	400 x 500	198
4433	TXM-150M		150 kg	50 g	400 x 500	198



Ref.	Options	PVP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45
8024	ISOICAL certificate from 31 kg to 300 kg	58

► ACCUREX TX Tiger



ACCUREX



► Indicator included.

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
72120	TX Tiger 88-300	300 kg	50 g	800 x 800	370
72121	TX Tiger 88-600	600 kg	100 g	800 x 800	290
72122	TX Tiger 1010-600	600 kg	100 g	1000 x 1000	370
72114	TX Tiger 1010-1,5T	1.500 kg	200 g	1000 x 1000	370
72115	TX Tiger 1010-3T	3.000 kg	500 g	1000 x 1000	370
72123	TX Tiger 1210-1,5T	1.500 kg	200 g	1200 x 1000	388
72124	TX Tiger 1210-3T	3.000 kg	500 g	1200 x 1000	388
72116	TX Tiger 1212-1,5T	1.500 kg	200 g	1200 x 1200	425
72117	TX Tiger 1212-3T	3.000 kg	500 g	1200 x 1200	425
72125	TX Tiger 1512-1,5T	1.500 kg	200 g	1500 x 1200	495
72126	TX Tiger 1512-3T	3.000 kg	500 g	1500 x 1200	495
72118	TX Tiger 1515-1,5T	1.500 kg	200 g	1500 x 1500	560
72119	TX Tiger 1515-3T	3.000 kg	500 g	1500 x 1500	560


Ref.	Accessories	MSRP (€)
7006	RM-8 Access Ramp for 88	220
70190	RM-10 Access Ramp for 1010 and 1210	240
4267	RM-12 Access Ramp for 1210, 1212 and 1512	300
4520	RM-15 Access Ramp for 1512 and 1515	390
71178	RL-8 Access Ramp for 88	300
71179	RL-10 Access Ramp for 1010 and 1210	360
71180	RL-12 Access Ramp for 1210, 1212 and 1512	410
71181	RL-15 Access Ramp for 1512 and 1515	460
70022	BM-10 Bumper 1m for model 1010 and 1210	120
70033	BM-12 Bumper 1,2m for model 1210 and 1212	120
70024	BM-15 Bumper 1,5m for model 1512 and 1515	150
70022A	Set of 4 BM bumpers for perimeter protection for model 1010	450
70022B	Set of 4 BM bumpers for perimeter protection for model 1210	470
70033B	Set of 4 BM bumpers for perimeter protection for model 1512	540
70024A	Set of 4 BM bumpers for perimeter protection for model 1515	590




Ref.	Options	MSRP (€)
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98

▶ ACCUREX TXM Tiger

Ref.	Model	M	Capacity	Readability	Pan size (mm)	MSRP (€)
72142	TXM Tiger 88-600		600 kg	200 g	800 x 800	320
72143	TXM Tiger 1010-1,5T		1.500 kg	500 g	1000 x 1000	330
72144	TXM Tiger 1210-1,5T		1.500 kg	500 g	1200 x 1000	480
72145	TXM Tiger 1210-2,5T		2.500 kg	1.000 g	1200 x 1000	480
72146	TXM Tiger 1512-1,5T		1.500 kg	500 g	1500 x 1200	510
72147	TXM Tiger 1512-2,5T		2.500 kg	1.000 g	1500 x 1200	510
72148	TXM Tiger 1515-1,5T		1.500 kg	500 g	1500 x 1500	570
72149	TXM Tiger 1515-2,5T		2.500 kg	1.000 g	1500 x 1500	570




Ref.	Accessories	MSRP (€)
7006	RM-8 Access Ramp for 88	220
70190	RM-10 Access Ramp for 1010 and 1210	240
4267	RM-12 Access Ramp for 1210 and 1512	300
4520	RM-15 Access Ramp for 1512 and 1515	390
71178	RL-8 Access Ramp for 88	300
71179	RL-10 Access Ramp for 1010 and 1210	360
71180	RL-12 Access Ramp for 1210 and 1512	410
71181	RL-15 Access Ramp for 1512 and 1515	460
70022	BM-10 Bumper 1m for model 1010 and 1210	120
70033	BM-12 Bumper 1,2m for model 1210 and 1512	120
70024	BM-15 Bumper 1,5m for model 1512 and 1515	150
70022A	Set of 4 BM bumpers for perimeter protection for model 1010	450
70022B	Set of 4 BM bumpers for perimeter protection for model 1210	470
70033B	Set of 4 BM bumpers for perimeter protection for model 1512	540
70024A	Set of 4 BM bumpers for perimeter protection for model 1515	590

Indicator included. 

Ref.	Options	MSRP (€)
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98

▶ ACCUREX TXM Snake

ACCUREX



Ref.	Model	M	Capacity	Readability	Pan size (mm)	MSRP (€)
72150	TXM Snake 1,5T		1.500 kg	500 g	840 x 1210	430



Ref.	Options	MSRP (€)
8029	ISOCAL certificate from 601 kg to 1500 kg	88

ACCUREX TXM



▶ Indicator included.

▶ ACCUREX RX Spider

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71757	RX Spider 88-300	300 kg	50 g	800 x 800	590
71758	RX Spider 88-600	600 kg	100 g	800 x 800	590
71759	RX Spider 1010-300	300 kg	50 g	1000 x 1000	680
71760	RX Spider 1010-600	600 kg	100 g	1000 x 1000	680
71761	RX Spider 1212-600	600 kg	100 g	1200 x 1200	780
71762	RX Spider 1212-1,5T	1.500 kg	200 g	1200 x 1200	780



Ref.	Options	MSRP (€)
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88



Indicator included. ◀

▶ ACCUREX TX Snake

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71416	TX Snake 1,5T	1.500 kg	500 g	840 x 1210	395



Ref.	Options	MSRP (€)
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88



Indicator included. ◀

▶ ACCUREX TX Fox

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71324	TX Fox 80-3T	3.000 kg	500 g	(2x) 810 x 120	320
71325	TX Fox 120-3T	3.000 kg	500 g	(2x) 1210 x 120	340



Ref.	Accessories	MSRP (€)
31675	Feet with ball joint for FOX (unit)	10
36739	Feet with ball joint for FOX H (Pack of 4 pcs.)	34

Ref.	Options	MSRP (€)
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



Indicator included. ◀

▶ ACCUREX RX8

Ref.	Model	Readability	Material	MSRP (€)
71944	RX8	100.000 divisions	ABS	70



VOLUMETRIC WEIGHING



GRAM



▶ GRAM QUBIC ONE


Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
72024	Qubic One	150 kg	20 g	800 x 600	7.680

Ref.	Options	MSRP (€)
8024	ISOCAL certificate from 31 kg to 300 kg	58



MOBILE WEIGHING

GRAM 



► GRAM Bull

Ref.	Model	Capacity	Readability	Forklift size (mm)	MSRP (€)
71964	Bull 2.5T	2.500 kg	1 kg	1257 x 540 x 135	2.350

Ref.	Options	MSRP (€)
32349	BULL 24v Adapter	70

Ref.	Accessories	MSRP (€)
70814L	Q2 label printer with cable for Bull	320
70814M	Q2 ticket printer with cable for Bull	320



Indicator included. ◀

► GRAM TCamel 2T



Ref.	Model	Capacity	Readability	Forklift size (mm)	MSRP (€)
4349	TCamel 2T	2.000 kg	1 kg	560 x 1160	1.380
70007	TCamel 2T-HR	600/2.000 kg	0,2/0,5 kg	560 x 1160	1.880

Ref.	Options	MSRP (€)
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
61136	Individual packaging	38

Ref.	Accessories	MSRP (€)
36722	Integrated printer	195
71104	PR4W Printer	195
6950	RD3W Repeater Indicator (Wireless)	230



► GRAM TCamel Y



Ref.	Model	Capacity	Readability	Forklift size (mm)	MSRP (€)
10048	TCamel Y-2T	2.000 kg	1 kg	570 x 1160	850

Ref.	Options	MSRP (€)
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



► GRAM TCamel V



Ref.	Model	Capacity	Readability	Forklift size (mm)	MSRP (€)
72080	TCamel V 2T	2.000 kg	1 kg	560 x 1160	850
72081	TCamel VP 2T	2.000 kg	1 kg	560 x 1160	920

Ref.	Options	MSRP (€)
8030	ISOCAL certificate from 1501 kg to 3000 kg	98



► GRAM TCamel 2T Inox 316

Ref.	Model	Capacity	Readability	Forklift size (mm)	MSRP (€)
70105	TCamel 2T Stainless 316	2.000 kg	1 kg	560 x 1290	4.920

Ref.	Options	MSRP (€)
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
61136	Individual packaging	38

Ref.	Accessories	MSRP (€)
36722	Integrated printer	195
71104	PR4W Printer	195
6950	RD3W Repeater Indicator (Wireless)	230



► GRAM TCamel 2T HR Inox 316

Ref.	Model	Capacity	Readability	Forklift size (mm)	MSRP (€)
70106	TCamel 2T-HR Stainless 316	600/2.000 kg	0,2/0,5 kg	560 x 1290	5.680

Ref.	Options	MSRP (€)
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
61136	Individual packaging	38

Ref.	Accessories	MSRP (€)
36722	Integrated printer	195
71104	PR4W Printer	195
6950	RD3W Repeater Indicator (Wireless)	230



▶ GRAM PR



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
60705	PRX 3T	3.000 kg	0,5 kg	385 x 360	880
60706	PRS 10T	10.000 kg	2 kg	500 x 400	990
60707	PRM 15T	15.000 kg	5 kg	700 x 450	1.340

Ref.	Options	MSRP (€)
60135	MK3 Indicator	390
60823	MK3 Printer Indicator	540
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
8033	ISOCAL certificate from 3001 kg to 10000 kg	138



Ref.	Accessories	MSRP (€)
5263A	RD3 Repeater Indicator (RS-232)	170
6950	RD3W Repeater Indicator (Wireless)	230
70814A	Q2 label printer with cable for K3, K3i (1)	250
71104	PR4W Printer	195

▶ Recommended indicators.



RETAIL SCALES



GRAM

► GRAM ZFOC

Ref.	Model	M	Capacity	Readability	Pan size (mm)	MSRP (€)
60631	ZFOC-15		6/15 kg	2/5 g	330 x 230	139
60566	ZFOC-30		15/30 kg	5/10 g	330 x 230	139
60792	ZFOC-15 RS		6/15 kg	2/5 g	330 x 230	164
60564	ZFOC-30 RS		15/30 kg	5/10 g	330 x 230	164
60565	ZFOC-30P RS		15/30 kg	5/10 g	330 x 230	188

Ref.	Accessories	MSRP (€)
6001	Deep Plate 270 x 360 x 48 mm	40
60913	Cable USB (ZFOC)	40
32265	RS-232 to PC cable	50



► GRAM XFOC+

Ref.	Model	M	Capacity	Readability	Pan size (mm)	MSRP (€)
71634	XFOC+ 15RS		6/15 kg	2/5 g	330 x 230	182
71637	XFOC+ 30RS		15/30 kg	5/10 g	330 x 230	182
71661	XFOC+ 15RS PLU		6/15 kg	2/5 g	330 x 230	198
71662	XFOC+ 30RS PLU		15/30 kg	5/10 g	330 x 230	198
71664	XFOC+ 30P PLU		15/30 kg	5/10 g	330 x 230	198

Ref.	Accessories	MSRP (€)
6001	Deep Plate 270 x 360 x 48 mm	40
60913	Cable USB (ZFOC)	40
32265	RS-232 to PC cable	50



► GRAM M4



Ref.	Model	M	Capacity	Readability	Pan size (mm)	MSRP (€)
61142	M4-15		15 kg	5 g	330 x 230	280
61143	M4-15P		15 kg	5 g	330 x 230	298
60935	M4-30		30 kg	10 g	330 x 230	280
60936	M4-30P		30 kg	10 g	330 x 230	298
60937	M4-30PN		30 kg	10 g	330 x 230	340

Ref.	Accessories	MSRP (€)
61031	Cash drawer M4	98
6001	Deep Plate 270 x 360 x 48 mm	40
61060	M4 Tickets Rolls (10 u.)	15



► GRAM Q6-F*

GRAM **Next**



Gram Q6 equipment.
[Column not included].



Gram Q6 Advanced equipment.
[Column not included].



Gram Q6 Premium equipment.
[Column not included].

Ref.	Model	M	Capacity	Readability	Pan size (mm)	MSRP (€)
70836	Q6-F0-6		6 kg	2 g	300 x 240	1.490
70837	Q6-F0-15		15 kg	5 g	300 x 240	1.490
70838	Q6-F0-30		30 kg	10g	300 x 240	1.490
71377	Q6-F1-15		15 kg	5 g	400 x 300	1.530
71378	Q6-F1-30		30 kg	10 g	400 x 300	1.530
70841	Q6-F1-60		60 kg	20 g	400 x 300	1.530
70842	Q6-F1-150		150 kg	50 g	400 x 300	1.530
70843	Q6-F2-30		30 kg	10 g	500 x 400	1.590
70844	Q6-F2-60		60 kg	20 g	500 x 400	1.590
70845	Q6-F2-150		150 kg	50 g	500 x 400	1.590
70846	Q6-F3-150		150 kg	50 g	650 x 500	1.790
70847	Q6-F3-300		300 kg	100 g	650 x 500	1.790
70848	Q6-F4-150		150 kg	50 g	800 x 600	1.880
70849	Q6-F4-300		300 kg	100 g	800 x 600	1.880
70850	Q6-F4-600		600 kg	200 g	800 x 600	1.880

Ref.	Optional Labelling printers	MSRP (€)
71424	Q6 Labelling printer	0
71425	Q6 Labelling printer Advanced	595
70867	Q6 Labelling printer Premium	765



* Only available in Spain.

▶ GRAM Q6-F*

Ref.	Options	MSRP (€)
70868	Q6 label dispenser	70

Ref.	Accessories	MSRP (€)
36859	80x100mm label roll (1 u.)	38
34029	80x100mm label roll (10 u.)	380

Ref.	Indicator Columns and Supports	MSRP (€)
70306A	RPS stainless steel column for K2, K3, Z3, SC2 (F0, F1, F2, F3, F4)	50
70307A	RPM stainless steel column for K2, K3, Z3, SC2, (F1, F2, F3, F4)	50
70308A	RPL stainless steel column for K2, K3, Z3, SC2 (F2, F3, F4)	60
3804X	CS-1 Painted steel floor stand with stainless steel column for K2, K3, Z3, SC2	150
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K2, K3, Z3, SC2	400
31661	Painted steel wall support with ABS swivel base (K2, K3, Z3, SC2)	40

**Columns shape**

R: round

Material of column support

P: painted steel

Columns height

S: 300mm

M: 500mm

L: 700mm

* Only available in Spain.

(1) Support for indicator not included.

► GRAM Q6-X*

GRAM  Next



► Gram Q6 equipment.
[Column not included].



► Gram Q6 Advanced equipment.
[Column not included].



► Gram Q6 Premium equipment.
[Column not included].

Ref.	Model	M	Capacity	Readability	Pan size (mm)	MSRP (€)
70851	Q6-X0-6		6 kg	2 g	300 x 240	1.580
70852	Q6-X0-15		15 kg	5 g	300 x 240	1.580
70853	Q6-X0-30		30 kg	10g	300 x 240	1.580
71379	Q6-X1-15		15 kg	5 g	400 x 300	1.640
71380	Q6-X1-30		30 kg	10 g	400 x 300	1.640
70856	Q6-X1-60		60 kg	20 g	400 x 300	1.640
70857	Q6-X1-150		150 kg	50 g	400 x 300	1.640
70858	Q6-X2-30		30 kg	10 g	500 x 400	1.780
72133	Q6-X2-60		60 kg	20 g	500 x 400	1.780
70860	Q6-X2-150		150 kg	50 g	500 x 400	1.780
70861	Q6-X3-150		150 kg	50 g	650 x 500	1.990
70862	Q6-X3-300		300 kg	100 g	650 x 500	1.990
70863	Q6-X4-150		150 kg	50 g	800 x 600	2.120
70864	Q6-X4-300		300 kg	100 g	800 x 600	2.120
70865	Q6-X4-600		600 kg	200 g	800 x 600	2.120

Ref.	Option Labelling printers	MSRP (€)
71424	Q6 Labelling printer	0
71425	Q6 Labelling printer Advanced	595
70867	Q6 Labelling printer Premium	765



* Only available in Spain.

▶ GRAM Q6-X*

Ref.	Options	MSRP (€)
70868	Q6 label dispenser	70

Ref.	Accessories	MSRP (€)
36859	80x100mm label roll (1 u.)	38
34029	80x100mm label roll (10 u.)	380

Ref.	Indicator Columns and Supports	MSRP (€)
70303A	RXS stainless steel column for K2, K3, Z3, SC2 (X0, X1, X2, X3, X4)	100
70304A	RXM stainless steel column for K2, K3, Z3, SC2 (X1, X2, X3, X4)	130
70305A	RXL stainless steel column for K2, K3, Z3, SC2 (X2, X3, X4)	130
70300	QXS stainless steel column for K2, K3, Z3, SC2 (X0, X1, X2)	70
70301	QXM stainless steel column for K2, K3, Z3, SC2 (X0, X1, X2)	90
70302	QXL stainless steel column for K2, K3, Z3, SC2 (X3, X4)	140
3804X	CS-1 Painted steel floor stand with stainless steel column for K2, K3, Z3, SC2	150
3805A	CS-1 S Stainless steel floor stand with stainless steel column for K2, K3, Z3, SC2	400
31661	Painted steel wall support with ABS swivel base (K2, K3, Z3, SC2)	40

**Columns shape****R:** round**Q:** rectangular**Material of column support****P:** painted steel**X:** stainless steel**Columns height****S:** 300mm**M:** 500mm**L:** 700mm

* Only available in Spain.

(1) Support for indicator not included.

PRECISION SCALES



GRAM ▼

► GRAM RYI

Ref.	Model ⁽¹⁾	M	Capacity	Res. (d)	Res. (e)	Pan size (mm)	MSRP (€)
72050	RYI-220		220 g	0,0001 g	0,001 g	90 Ø	1.350
Ref.	Options						MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg						45
Ref.	Accessories						MSRP (€)
70034D	PR4 printer with cable for RVI, RV, RS, RTI, RYI						180
70814K	Q2 ticket printer with cable for RVI, RV, RS, RTI, RYI						270
71722C	PW-Link Software (including PC cable for RVI, RV, RS, RTI, RYI)						270
36759	RS-232 to PC cable						50



(1) Only available in Spain, France and Portugal.

► GRAM RTI


Ref.	Model ⁽¹⁾	M	Capacity	Res. (d)	Res. (e)	Pan size (mm)	MSRP (€)
72051	RTI-160		160 g	0,0001 g	0,001 g	90 Ø	1.150
Ref.	Options						MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg						45
Ref.	Accessories						MSRP (€)
70034D	PR4 printer with cable for RVI, RV, RS, RTI, RYI						180
70814K	Q2 ticket printer with cable for RVI, RV, RS, RTI, RYI						270
71722C	PW-Link Software (including PC cable for RVI, RV, RS, RTI, RYI)						270
36759	RS-232 to PC cable						50
----	Kit for hydrostatic weighing (On request)						Consult



(1) Only available in Spain, France and Portugal.

▶ GRAM FV

GRAM Core



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
60919	FV-220 (Cal ext)	220 g	0,0001 g	115 Ø	980
60917	FV-220C (Cal int)	210 g	0,0001 g	115 Ø	1.190


Ref.	Options	MSRP (€)
8023	ISO-CAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
70034A	PR4 printer with cable for FC, FH, FR, FS, FV	195
70814J	Q2 ticket printer with cable for FC, FH, FR, FS, FV	270
71722B	PW-Link Software (including PC cable for FC, FH, FR, FS, FV)	270



▶ GRAM FS

GRAM Lite



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71165	FS-120	120 g	0,0001 g	90 Ø	590
71166	FS-220	220 g	0,0001 g	90 Ø	640

Ref.	Options	MSRP (€)
8023	ISO-CAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
70034A	PR4 printer with cable for FC, FH, FR, FS, FV	195
70814J	Q2 ticket printer with cable for FC, FH, FR, FS, FV	270
71722B	PW-Link Software (including PC cable for FC, FH, FR, FS, FV)	270



► GRAM RVI

Ref.	Model (1)	M	Capacity	Res. (d)	Res. (e)	Pan size (mm)	MSRP (€)
72045	RVI-520		520 g	0,001 g	0,01 g	115 Ø	1.080
72046	RVI-1000		1.000 g	0,001 g	0,01 g	115 Ø	1.180
72047	RVI-3200		3.200 g	0,01 g	0,1 g	180 x 180	1.160
72048	RVI-6200		6.200 g	0,01 g	0,1 g	180 x 180	1.280

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
70034D	PR4 printer with cable for RVI, RV, RS, RTI, RYI	180
70814K	Q2 ticket printer with cable for RVI, RV, RS, RTI, RYI	270
71722C	PW-Link Software (including PC cable for RVI, RV, RS, RTI, RYI)	270
36759	RS-232 to PC cable	50
----	Kit for hydrostatic weighing (On request)	Consult



(1) Only available in Spain, France and Portugal.

► GRAM RV

Ref.	Model (1)	M	Capacity	Res. (d)	Res. (e)	Pan size (mm)	MSRP (€)
61092	RV-4000i		4.000 g	0,01 g	0,1 g	165 x 165	1.040

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
70034D	PR4 printer with cable for RVI, RV, RS, RTI, RYI	180
70814K	Q2 ticket printer with cable for RVI, RV, RS, RTI, RYI	270
71722C	PW-Link Software (including PC cable for RVI, RV, RS, RTI, RYI)	270
36759	RS-232 to PC cable	50
----	Kit for hydrostatic weighing (On request)	Consult



(1) Only available in Spain, France and Portugal.

▶ GRAM RS



Ref.	Model ⁽¹⁾	Capacity	Res. (d)	Res. (e)	Pan size (mm)	MSRP (€)
72049	RS-220	220 g	0,001 g	0,01 g	115 ∅	820
61095	RS-320	320 g	0,001 g	0,01 g	115 ∅	750
72052	RS-2200	2200 g	0,01 g	0,1 g	150 ∅	860


Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
70034D	PR4 printer with cable for RVI, RV, RS, RTI, RYI	180
70814K	Q2 ticket printer with cable for RVI, RV, RS, RTI, RYI	270
71722C	PW-Link Software (including PC cable for RVI, RV, RS, RTI, RYI)	270
36759	RS-232 to PC cable	50
----	Kit for hydrostatic weighing (On request)	Consult

(1) Only available in Spain, France and Portugal.



▶ GRAM FR



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
60921	FR-320	320 g	0,001 g	115 ∅	620
60922	FR-500	500 g	0,001 g	115 ∅	660
60923	FR-3200	3.200 g	0,01 g	160 ∅	580
60924	FR-5000	5.000 g	0,01 g	160 ∅	660

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
70034A	PR4 printer with cable for FC, FH, FR, FS, FV	195
70814J	Q2 ticket printer with cable for FC, FH, FR, FS, FV	270
71722B	PW-Link Software (including PC cable for FC, FH, FR, FS, FV)	270
5651	Hydrostatic weighing crane scale	24



▶ GRAM FC

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
61055	FC-100	100 g	0,001 g	95 Ø	190
61056	FC-200	200 g	0,001 g	95 Ø	198

Ref.	Options	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
70034A	PR4 printer with cable for FC, FH, FR, FS, FV	195
70814J	Q2 ticket printer with cable for FC, FH, FR, FS, FV	270
71722B	PW-Link Software (including PC cable for FC, FH, FR, FS, FV)	270



▶ GRAM EK



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
72060	EK-800	800 g	0,01 g	170 x 170	108
72061	EK-2000	2.000 g	0,01 g	170 x 170	140
72062	EK-5000	5.000 g	0,01 g	170 x 170	290
72063	EK-6000	6.000 g	0,1 g	170 x 170	118
72064	EK-10K	10.000 g	0,1 g	170 x 170	198

Ref.	Options	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45
70034	PR4 Printer (RS-232) (1)	170
36760	RS-232 to Printer cable	18



(1) Requires RS-232 to Printer cable.

▶ GRAM EH



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
70542	EH-500	500 g	0,01 g	157 x 128	99
70543	EH-1000	1.000 g	0,01 g	157 x 128	125
70544	EH-2000	2.000 g	0,01 g	157 x 128	145
70545	EH-3000	3.000 g	0,1 g	192 x 143	99
70546	EH-6000	6.000 g	0,1 g	192 x 143	115

Ref.	Options	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45



▶ GRAM AH-V

Ref.	Model	M	Capacity	Res. (d)	Res. (e)	Pan size (mm)	MSRP (€)
61039	AH-300V		300 g	0,005 g	0,05 g	116 Ø	280
61041	AH-600V		600 g	0,01 g	0,1 g	116 Ø	280
70194	AH-1200V		1.200 g	0,02 g	0,2 g	122 x 144	280
61040	AH-3000V		3.000 g	0,05 g	0,5 g	122 x 144	280

Ref.	Options	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
71722C	PW-Link Software (including PC cable for AH-V)	270
36759	RS-232 to PC cable	50



▶ GRAM S3R



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
6424	S3R-2KD	2.000 g	0,1 g	250 x 197	250
6426	S3R-6KD	6.000 g	0,1 g	250 x 197	360
6427	S3R-12KD	12.000 g	0,2 g	250 x 197	320
6430	S3R-30K	30.000 g	1 g	250 x 197	250

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45
32332	Tare pedal	150
32330	3 Relays board	100
32277	Second RS-232 output	70

Ref.	Accessories	MSRP (€)
70034B	PR4 printer with cable and date board for S3R (1)	195
71104	PR4W Printer (7)	195
70814I	Q2 label printer with cable and date board for S3R (1)	290
70814P	Q2 ticket printer with cable and date board for S3R (1)	290
5263A	RD3 Repeater Indicator with 4m cable for K3R, S3R (1)	170
6950	RD3W Repeater Indicator (6)	230
6170A	K3 Repeater Indicator with 4m cable (1)	190
6171A	K3i Repeater Indicator with 4m cable (1)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC) for K3R, S3R (1)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (1)	60
33770	USB Output (1)	80



(1) They are mutually exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(6) Wireless connection of K3, K3i is included.

(7) Includes WiFi board for K3/K3i.

▶ GRAM K3R

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
6432	K3R-15KD-SE	15 kg	0,5 g	300 x 400	380
60110	K3R-30KD-SE	30 kg	1 g	300 x 400	380

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45
32330	3 Relays board	100
32277	Second RS-232 output	70

Ref.	Accessories	MSRP (€)
70034Y	PR4 printer with cable and date board for K3R (1)	180
71104	PR4W Printer (7)	195
70814H	Q2 label printer with cable and date board for K3R (1)	270
70814C	Q2 ticket printer with cable and date board for K3R (1)	270
5263A	RD3 Repeater Indicator with 4m cable for K3R, S3R (1)	170
6950	RD3W Repeater Indicator (6)	230
6170A	K3 Repeater Indicator with 4m cable (1)	190
6171A	K3i Repeater Indicator with 4m cable (1)	270
60210A	3 light LED column with relay board	290
3792A	EX-Link software (includes 4m cable to PC)	70
3792C	EX-Link software (includes USB Output)	70
71722A	PW-Link Software (includes 4m cable to PC) for K3R, S3R (1)	270
71722G	PW-Link Software (includes USB Output)	280
61084	USB Direct cable K (1)	60
33770	USB Output (1)	80



(1) They are mutually exclusive, only one of them can be used, unless the second RS-232 output is installed. In this case one more accessory can be added, except PR4W and RD3 Wireless.

(6) Wireless connection of K3, K3i is included.

(7) Includes WiFi board for K3/K3i.

▶ GRAM EM

GRAM  Lite

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
70876	EM-10K	10 kg	0,1 g	340 x 240	260
70877	EM-20K	20 kg	0,1 g	340 x 240	290
70878	EM-30K	30 kg	0,1 g	340 x 240	320

Ref.	Options	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45



▶ GRAM AC

GRAM  Lite

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
60189	AC-5000	5.000 g	1 g	148 Ø	22

Ref.	Options	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
9010	220V adapter	18



▶ GRAM SPX

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
6926	SPX-600D	600 g	0,1 g	155 x 155	60
6928	SPX-1000D	1.000 g	0,1 g	155 x 155	64
6929	SPX-3000D	3.000 g	0,1 g	155 x 155	84
6927	SPX-6000	6.000 g	1 g	155 x 155	56

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
9010	220V adapter	18



▶ GRAM RH



Ref.	Model ⁽¹⁾	Capacity	Readability	Pan size (mm)	MSRP (€)
61097	RH-110	110 g	0,005 g	90 Ø	1.150
61098	RH-210	210 g	0,001 g	90 Ø	1.390

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
70034D	PR4 printer with cable for RVI, RV, RS, RTI, RYI	180
70814K	Q2 ticket printer with cable for RVI, RV, RS, RTI, RYI	270
36759	RS-232 to PC cable	50



(1) Only available in Spain, France and Portugal.

► GRAM FM

GRAM Core



Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
71167	FM-120	120 g	0,005 g	90 Ø	780
71168	FM-120 S	120 g	0,001 g	90 Ø	990

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
36759	RS-232 to PC cable	50



► GRAM FD

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
61003	FD-410 (1)	410 g	0,001 g	150 x 60	650

Ref.	Options	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45

Ref.	Accessories	MSRP (€)
70034A	PR4 printer with cable for FC, FH, FR, FS, FV	195
70814J	Q2 ticket printer with cable for FC, FH, FR, FS, FV	270
71722B	PW-Link Software (including PC cable for FC, FH, FR, FS, FV)	270
36764	RS-232 to PC cable	50
5651	Hydrostatic weighing crane scale	24

GRAM Core



Density calculation.



(1) Density kit included..

PERSONAL SCALES



GRAM ▼

▶ GRAM WHITE MEL

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
72033	WHITE MEL	20 kg	10 g	550 x 330	55

Ref.	Options	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45



▶ GRAM SILK Q

Ref.	Model	Capacity	Readability	Pan size (mm)	MSRP (€)
60153	SILK Q	5.000 g	1 g	230 x 225 x 115	18

Ref.	Options	MSRP (€)
8023	ISOICAL certificate from 0,01 g to 30 kg	45



WEIGHTS



GRAM ▼

▶ GRAM M1 CHROME STEEL

Ref.	Model	Weight	MSRP (€)
1062	M1 chrome steel	5 g	6
1063	M1 chrome steel	10 g	7
1064	M1 chrome steel	20 g	8
1065	M1 chrome steel	50 g	8
1066	M1 chrome steel	100 g	11
1067	M1 chrome steel	200 g	12
1068	M1 chrome steel	500 g	18
1069	M1 chrome steel	1 kg	27
1070	M1 chrome steel	2 kg	48
1071	M1 chrome steel	5 kg	108
1072	M1 chrome steel	10 kg	181

Ref.	Options	MSRP (€)
8005	ISOCAL certificate M Class up to 2 kg	38
8006	ISOCAL certificate M Class de 5, 10 and 20 kg	40

Ref.	Accessories	MSRP (€)
70140	Weights handler 5 kg	40
70141	Weights handler 10 kg	45



Chrome steel weight.



▶ GRAM M1 CHROME STEEL CASES

Ref.	Model	Weight	MSRP (€)
70142	CP-110 CR/M1	From 5 g to 50 g	77
70143	CP-210 CR/M1	From 5 g to 100 g	88
70144	CP-610 CR/M1	From 5 g to 200 g	112
70145	CP-1100 CR/M1	From 5 g to 500 g	135
70146	CP-2100 CR/M1	From 5 g to 1 kg	185
70147	CP-6100 CR/M1	From 5 g to 2 kg	346

Ref.	Options	MSRP (€)
8005	ISOCAL certificate M Class up to 2 kg	38
8006	ISOCAL certificate M Class de 5, 10 and 20 kg	40



Chrome steel weight case.



▶ GRAM M1 STAINLESS STEEL



Stainless steel weight.

Ref.	Model	Weight	MSRP (€)
1021	M1 Stainless steel	1 g	9
1022	M1 Stainless steel	2 g	9
1023	M1 Stainless steel	5 g	11
1024	M1 Stainless steel	10 g	12
1025	M1 Stainless steel	20 g	14
1026	M1 Stainless steel	50 g	17
1027	M1 Stainless steel	100 g	22
1028	M1 Stainless steel	200 g	26
1029	M1 Stainless steel	500 g	42
1030	M1 Stainless steel	1 kg	88
1031	M1 Stainless steel	2 kg	123
1032	M1 Stainless steel	5 kg	242
1033	M1 Stainless steel	10 kg	488

Ref.	Options	MSRP (€)
8005	ISOCAL certificate M Class up to 2 kg	38
8006	ISOCAL certificate M Class de 5, 10 and 20 kg	40

Ref.	Accessories	MSRP (€)
70140	Weights handler 5 kg	40
70141	Weights handler 10 kg	45

▶ GRAM M1 STAINLESS STEEL CASES



Stainless steel weight case.

Ref.	Model	Weight	MSRP (€)
2112	CP-110 S/M1	From 1 g to 50 g	127
2113	CP-210 S/M1	From 1 g to 100 g	150
2114	CP-610 S/M1	From 1 g to 200 g	208
2115	CP-1100 S/M1	From 1 g to 500 g	250
2116	CP-2100 S/M1	From 1 g to 1 kg	350
2142	CP-6100 S/M1	From 1 g to 2 kg	608

Ref.	Options	MSRP (€)
8005	ISOCAL certificate M Class up to 2 kg	38
8006	ISOCAL certificate M Class de 5, 10 and 20 kg	40

▶ GRAM F1 STAINLESS STEEL

Ref.	Model	Weight	MSRP (€)
1049	F1 Stainless steel	1 g	17
1050	F1 Stainless steel	2 g	17
1051	F1 Stainless steel	5 g	18
1052	F1 Stainless steel	10 g	21
1053	F1 Stainless steel	20 g	25
1054	F1 Stainless steel	50 g	31
1055	F1 Stainless steel	100 g	35
1056	F1 Stainless steel	200 g	42
1057	F1 Stainless steel	500 g	60
1058	F1 Stainless steel	1 kg	119
1059	F1 Stainless steel	2 kg	146
1060	F1 Stainless steel	5 kg	277
1061	F1 Stainless steel	10 kg	535



Stainless steel weight.



Ref.	Options	MSRP (€)
8007	ISOCAL certificate F Class up to 2 kg	40
8008	ISOCAL certificate F Class de 5, 10, 20 and 50 kg	45

Ref.	Accessories	MSRP (€)
70140	Weights handler 5 kg	40
70141	Weights handler 10 kg	45

▶ GRAM F1 STAINLESS STEEL CASES

Ref.	Model	Weight	MSRP (€)
2136	CP-110 S/F1	From 1 g to 50 g	215
2137	CP-210 S/F1	From 1 g to 100 g	269
2138	CP-610 S/F1	From 1 g to 200 g	362
2139	CP-1100 S/F1	From 1 g to 500 g	496
2140	CP-2100 S/F1	From 1 g to 1 kg	765
2141	CP-6100 S/F1	From 1 g to 2 kg	1.015

Ref.	Options	MSRP (€)
8007	ISOCAL certificate F Class up to 2 kg	40
8008	ISOCAL certificate F Class de 5, 10, 20 and 50 kg	45



Stainless steel weight case.



▶ GRAM M1 FRACTIONS



Ref.	Model	Weight	MSRP (€)
2073	M1 Fractions Set (12 units)	From 1 mg to 500 mg	42

Ref.	Options	MSRP (€)
8001	CENAC official weights certificate M Class up to 2 kg	50

▶ GRAM F1 FRACTIONS



Ref.	Model	Weight	MSRP (€)
2075	F1 Fractions Set (12 units)	From 1 mg to 500 mg	77

Ref.	Options	MSRP (€)
8018	CENAC official weights certificate F Class up to 2 kg	58

▶ GRAM CASES



Ref.	Model	Weight	MSRP (€)
3026	CP-1 Empty case for weights	1 g - 50 g	38
3027	CP-2 Empty case for weights	1 g - 100 g	38
3028	CP-6 Empty case for weights	1 g - 200 g	42
3029	CP-11 Empty case for weights	1 g - 500 g	45
3030	CP-21 Empty case for weights	1 g - 1 kg	81
3031	CP-61 Empty case for weights	1 g - 2 kg	96
3038	EM-10000 Empty case for weights	1 kg - 5 kg	165

▶ GRAM INDIVIDUAL CASES



Ref.	Model	Weight	MSRP (€)
3037	Empty case for individual weight	1 / 2 / 5 / 10 / 20 g	21
3034	Empty case for individual weight	50 g	12
3035	Empty case for individual weight	100 g	18
3025	Empty case for individual weight	200 g	27
3024	Empty case for individual weight	500 g	27
3023	Empty case for individual weight	1 kg	34
3022	Empty case for individual weight	2 kg	40
3012	Empty case for individual weight	5 kg	62
3020	Empty case for individual weight	10 kg	77

▶ GRAM M1 STAINLESS STEEL RECTANGULAR

Ref.	Model	Weight	MSRP (€)
1032	M1 Stainless steel	5 kg	242
1033	M1 Stainless steel	10 kg	488
70043	M1 Stainless steel	20 kg	808

Ref.	Options	MSRP (€)
8006	ISOCAL certificate M Class de 5, 10 and 20 kg	40



▶ GRAM M1 CAST IRON

Ref.	Model	Weight	MSRP (€)
1246	M1 Cast Iron	1 kg FD	22
1247	M1 Cast Iron	2 kg FD	30
1248	M1 Cast Iron	5 kg FD	59
1249	M1 Cast Iron	10 kg FD	81
1212	M1 Cast Iron	20 kg FD	135
1273	M1 Cast Iron	50 kg FD	246
1269	M1 Cast Iron	100 kg FD	431
1271	M1 Cast Iron	200 kg FD	819

Ref.	Options	MSRP (€)
8005	ISOCAL certificate M Class up to 2 kg	38
8006	ISOCAL certificate M Class de 5, 10 and 20 kg	40



▶ GRAM M1 CAST IRON LARGE FORMAT

Ref.	Model	Weight	MSRP (€)
1270	M1 Cast Iron Large format	500 kg FD	1.769
1272	M1 Cast Iron Large format	1.000 kg FD	3.538
70149	M1 Cast Iron Large format	2.000 kg FD	6.385





CERTIFICATES



GRAM 

► SCALES CALIBRATION

Ref.	ISOCAL scales certificates	MSRP (€)
8023	ISOCAL certificate from 0,01 g to 30 kg	45
8024	ISOCAL certificate from 31 kg to 300 kg	58
8025	ISOCAL certificate from 301 kg to 600 kg	80
8029	ISOCAL certificate from 601 kg to 1500 kg	88
8030	ISOCAL certificate from 1501 kg to 3000 kg	98
8033	ISOCAL certificate from 3001 kg to 10000 kg	138



► EC-TYPE CERTIFICATION

Ref.	EC-type Certificates	M	MSRP (€)
8012	EC-type certificate up to 30 kg		38
8014	EC-type certificate from 31 kg to 150 kg		48
8015	EC-type certificate from 151 kg to 300 kg		65
8016	EC-type certificate from 301 kg to 600 kg		80
8031	EC-type certificate from 601 kg to 1500 kg		90
8032	EC-type certificate from 1501 kg to 3000 kg		95
8034	EC-type certificate from 3001 kg to 6000 kg		120
8037	EC-type certificate from 6001 kg to 10000kg		160



► WEIGHTS CALIBRATION


Ref.	ISOCAL weights certificates	MSRP (€)
8007	ISOCAL certificate F Class up to 2 kg	40
8008	ISOCAL certificate F Class de 5, 10, 20 and 50 kg	45
8005	ISOCAL certificate M Class up to 2 kg	38
8006	ISOCAL certificate M Class de 5, 10 and 20 kg	40

Ref.	ENAC Officials weights Certificates	MSRP (€)
8018	CENAC official weights certificate F Class up to 2 kg	58
8021	CENAC official weights certificate F Class from 5, 10 and 20 kg	75
8001	CENAC official weights certificate M Class up to 2 kg	50
8020	CENAC official weights certificate M Class from 5, 10 and 20 kg	72




▶ GRAM PIT FRAMES

Ref.	Model	MSRP (€)
71354	MC-1210 One-piece pit frame (1272x1072mm)	300
71355	MC-1212 One-piece pit frame (1272x1272mm)	340
71356	MC-1512 One-piece pit frame (1572x1272mm)	390
71347	MC-1515 One-piece pit frame (1572x1572mm)	450
72030	MC-2015 One-piece pit frame (2072x1572mm)	560



Ref.	Model	MSRP (€)
70195	MP-1210 Pit frame & Anchor plates Kit (1212x1092mm)	170
70245	MP-1212 Pit frame & Anchor plates Kit (1212x1292mm)	180
70188	MP-1512 Pit frame & Anchor plates Kit (1512x1292mm)	200
70189	MP-1515 Pit frame & Anchor plates Kit (1512x1592mm)	210
70244	MP-2015 Pit frame & Anchor plates Kit (2012x1592mm)	230
71313	MP-3015 Pit frame & Anchor plates Kit (3015x1616mm)	310
71314	MP-3020 Pit frame & Anchor plates Kit (3015x2116mm)	360
71315	MP-4015 Pit frame & Anchor plates Kit (4015x1616mm)	410
70834	MP-5025 Pit frame & Anchor plates Kit (5016x2596mm)	610
70835	MP-6025 Pit frame & Anchor plates Kit (6016x2596mm)	700



Ref.	Model	MSRP (€)
70155	Anchor plates Kit (4 u.)	70



Ref.	Model	MSRP (€)
60985	MPI-1210 Stainless Steel Pit Frame (1212x1092mm)	660
70925	MPI-1212 Stainless Steel Pit Frame (1212x1292mm)	700
4843	MPI-1512 Stainless Steel Pit Frame (1512x1292mm)	720
70807	MPI-1515 Stainless Steel Pit Frame (1512x1592mm)	770

Ref.	Model	MSRP (€)
36744	Stainless Steel anchor plates Kit (4 u.)	240




▶ GRAM BARS

Ref.	Model	MSRP (€)
34034	Final limiting bar for Penguin EP	50
34035	Final limiting bar for Penguin 1212	60
34036	Final limiting bar for Penguin 1515	70



▶ GRAM RAMPS




Ramp RM

Ref.	Model	MSRP (€)
7006	RM-8 Access Ramp for SL and ML (800x710mm)	220
70190	RM-10 Access Ramp for GL and 1210 (1000x710mm)	240
4267	RM-12 Access Ramp for 1212 and 1512 (1200x710mm)	300
4520	RM-15 Access Ramp for 1515 and 2015 (1500x710mm)	390
70436	RM-25 Access Ramp for Speed (2500x1260mm)	1.400



Ref.	Model	MSRP (€)
71178	RL-8 Access Ramp for SL and ML (800x1150mm)	300
71179	RL-10 Access Ramp for GL and 1210 (1000x1150mm)	360
71180	RL-12 Access Ramp for 1212 and 1512 (1200x1150mm)	410
71181	RL-15 Access Ramp for 1515 and 2015 (1500x1150mm)	460
72129	RL-15H Access Ramp for Mamut 3015 and 4015 (1500x1278mm)	620
72130	RL-20H RAccess Ramp for Mamut 3020 (2000x1278mm)	790

Ref.	Model	MSRP (€)
71153	Access Ramp for Penguin 900x500mm	120
71154	Access Ramp for Penguin 1200x500mm	140
71155	Access Ramp for Penguin 1500x500mm	170



Ref.	Model	MSRP (€)
71182	RLI-8 Stainless Steel access Ramp SLI (800x1150mm)	2.040
71183	RLI-10 Stainless Steel access Ramp 1210 and GLI (1000x1150mm)	2.370
71184	RLI-12 Stainless Steel access Ramp 1212 and 1512 (1200x1150mm)	2.680
71185	RLI-15 Stainless Steel access Ramp 1515 and 2015 (1500x1150mm)	3.120



▶ GRAM GUIDES




Ref.	Model	MSRP (€)
33826	FLP 12 Forklift Guides	230
71943	FLI 12 Stainless Steel Forklift Guides	600



▶ GRAM BUMPERS

Ref.	Model	MSRP (€)
70022	BM-10 Bumper 1m for model GL and 1210 (1 u.)	120
70033	BM-12 Bumper 1,2m for model 1210, 1212 and 1512 (1 u.)	120
70024	BM-15 Bumper 1,5m for model 1512, 1515 and 2015 (1 u.)	150
70022A	Set of 4 BM bumpers for perimeter protection for model GL	450
70022B	Set of 4 BM bumpers for perimeter protection for model 1210	470
70033A	Set of 4 BM bumpers for perimeter protection for model 1212	480
70033B	Set of 4 BM bumpers for perimeter protection for model 1512	540
70024A	Set of 4 BM bumpers for perimeter protection for model 1515	590



The image shows two units, sold separately.



▶ GRAM COLUMNS KIT / PLATFORM SUPPORTS

Ref.	Model	MSRP (€)
70306	RPS stainless steel column (F0, F1, F2, F3, F4) (1)	30
70307	RPM stainless steel column (F1, F2, F3, F4) (1)	40
70308	RPL stainless steel column (F2, F3, F4) (1)	40
70303	RXS stainless steel column (X0, X1, X2, X3, X4) (1)	90
70304	RXM stainless steel column (X1, X2, X3, X4) (1)	110
70305	RXL stainless steel column (X2, X3, X4) (1)	120
71334	RXS stainless steel column K4i (X0, X1, X2, X3, X4) (1)	100
71335	RXM stainless steel column K4i (X1, X2, X3, X4) (1)	130
71336	RXL stainless steel column K4i (X2, X3, X4) (1)	140
70300	QXS stainless steel column K3X, K3iX, K3iX P (X0, X1, X2)(1)	70
70301	QXM stainless steel column K3X, K3iX, K3iX P (X0, X1, X2) (1)	90
70302	QXL stainless steel column K3X, K3iX, K3iX P (X3, X4) (1)	140
3800	Painted steel column Rabbit RP with 4 wheels (F2, F3, F4) (1)	70
70438	Bench-type support for K3	40
70437	Bench-type support for Z3	35



Indicator, support and scale not included.



Columns shape
R: round
Q: rectangular

Material of column
P: painted steel
X: stainless steel

Columns height
S: 300mm
M: 500mm
L: 700mm



(1) Indicator support not included.

▶ GRAM COLUMNS



Ref.	Model	MSRP (€)
3804	CS-1 Painted steel floor stand with stainless steel column (1)	140
3805	CS-1 S Stainless steel floor stand with stainless steel column (1)	390
71337	CS-1 S Stainless steel floor stand with stainless steel column K4i (1)	390



Indicator not included.

(1) Support for indicator not included.

▶ GRAM SUPPORTS



Ref.	Model	MSRP (€)
33207	ABS swivel base for indicator (SC2, K2, K3, Z3)	18
3803	Stainless steel U tube base (K3X, K3iX, K3iX P)	38
32278	Stainless steel U wall support (K3X, K3iX, K3iX P)	30
31661	Painted steel wall support with ABS swivel base (SC2, K2, K3, Z3)	40



▶ GRAM SACK WEIGHING SUPPORT



Ref.	Model	MSRP (€)
70046	RF-2 Stainless steel sack weighing support for F2 / X2 (1)	230
70047	RF-3 Stainless steel sack weighing support for F3 / X3 (1)	290

(1) Platform mechanization required, included int the price.
Merchandise return not accepted.

Indicator and scale not included.

► GRAM TABLE

Ref.	Model	MSRP (€)
70322A	Support table with wheels for F1 platform	195
70323A	Support table with wheels for F2 platform	220
70324A	Support table with wheels for F3 platform	290

Ref.	Model	MSRP (€)
60968	Set of 4 wheels for platform or table	50



► GRAM PRINTERS / LABELLING PRINTERS

Ref.	Model	MSRP (€)
72034	Q1 Bluetooth label printer	270
70814	Q2 label and ticket printer	220
70034	PR4 Printer (RS-232)	170
71104	PR4W Printer	195

Ref.	Accessories	MSRP (€)
5602	PR4 Tickets rolls (10 u.)	50
36904	Q2 label roll (1 u.) 70x58mm	50



► GRAM REPEATER

Ref.	Model	MSRP (€)
5263	RD3 Repeater Indicator (RS-232)	140
6950	RD3W Repeater Indicator (Wireless)	230



► GRAM 3-LIGHT COLUMN



Ref.	Model	MSRP (€)
60210	3 light LED column (1)	220



(1) Relay board not included.

► GRAM C6P



Ref.	Model	MSRP (€)
60953	C6P Wireless indicator with printer (1)	430



(1) Compatible with GRAM C6, GRAM C7.

► GRAM SOFTWARE



Ref.	Model	MSRP (€)
3792	EX-Link software for PC (1)	0
71722	PW-Link Software for PC (2)	195
72026	PC Xtrem Software	0
72025	Xtrem App (Android) (3)	0
71725	Xtrem Premium App 1 año (Android) (3)	100



(1) Compatible with S2, Z3, K3, K3i, S3-RS, S5i-RS.

(2) Compatible with Z3, K2, K3X, K3iX, K3iX P, MK3, MK3 Printer, S2, S3, S5i, AHV, FC, FR, FV, RS, RV.

(3) Requires WiFi for Xtrem option.

▶ GRAM OPTIONS for XTREM

Ref.	Model	MSRP (€)
71683	WiFi for Xtrem (1)	60
32377	Ethernet connection for Xtrem (1)	120
32382	RS-485 connection for Xtrem (1)	130
33819	Xtrem to PC self-powered cable	80



(1) They are exclusive, only one of these options can be placed.



▶ GRAM OPTIONS for K3

Ref.	Model	MSRP (€)
32330	3 Relays board	100
33770	USB Output	80
33772	Date board	40
32277	Second RS-232 output	70



▶ GRAM PEDAL

Ref.	Model	MSRP (€)
32332	Tare pedal	150



▶ GRAM DEEP PLATE



Ref.	Model	MSRP (€)
6001	Deep Plate 270 x 360 x 48 mm	40



▶ GRAM CASH DRAWER



Ref.	Model	MSRP (€)
61031	Cash drawer M4	98
5596	Cash drawer M5/M6	98



▶ GRAM WEIGHTS HANDLER



Ref.	Model	MSRP (€)
70140	Weights handler 5 kg	40
70141	Weights handler 10 kg	45



▶ GRAM CABLES

Ref.	Model	MSRP (€)
36786	USB Direct cable Z (1)	60
36785	Cable RS-232 to RD3 or PC Z, 1,5 m (1)	55
3774	Cable RS-232 to RD3 or PC Z, 4 m (1)	70
36784	RS-232 to Printer cable Z (1)	15
61084	USB Direct cable K (2)	60
33205	RS-232 to RD3 cable or PC K, 1,5 m (2)	60
3738	Cable RS-232 to RD3 cable or PC K, 4 m (2)	70
32294	RS-232 to Printer cable K (2)	18
36787	USB Direct cable S (3)	60
36788	Cable RS-232 to RD3 or PC S, 1,5 m (4)	50
3739	Cable RS-232 to RD3 or PC S, 4 m (4)	70
33736	Cable for remote Indicator K3 to Z3, 1,5 m	50
33737	Cable for remote Indicator K3 to Z3, 4 m	70
33738	Cable for remote Indicator K3 to K3, 1,5 m	50
33739	Cable for remote Indicator K3 to K3, 4 m	70
33740	Cable for remote Indicator Z3 to Z3, 1,5 m	50
33741	Cable for remote Indicator Z3 to Z3, 4 m	70
60913	USB Cable (ZFOC)	40
60806	U.KEY Cable (USB) (RK, RZ)	70
31859	RS-485 intercommunication scales cable, 5m	40
35568	RS-485 intercommunication scales cable, 10m	50
35569	RS-485 intercommunication scales cable, 15m	60
36759	RS-232 to PC cable (RK, RZ, RS, RH,RV, AH-V, XAP)	50
36760	RS-232 to Printer cable (RK, RZ, RS, RH,RV, AH-V)	18
36767	RS-232 to PC cable (S2, S4, CM, K2, SC2, XFOC, KL, CK)	50
36766	RS-232 to Printer cable (S2, S4, CM, K2, SC2, KL, CK)	16
36764	RS-232 to PC cable (FC, FD, FR, FV)	50
36759	RS-232 to Printer cable (FC, FD, FR, FV, XAP)	50
32265	RS-232 to PC cable (ZFOC)	50
36857	RS-232 to PC cable (K4i)	50
36858	RS-232 to Printer cable (K4i)	15
36788	RS-232 to PC cable (M6)	50
32351	Z-Link Connection 8m	45
32352	Z-Link Connection 15m	75



(1) Compatible with equipos Z3.

(2) Compatible with K3X, K3iX, K3iX P, MK3, MK3 Printer, S3R.

(3) Compatible with S2, S3-RS, S5i-RS.

(4) Compatible with S3-RS, S5i-RS.





SALES CONDITIONS



GRAM



WARRANTY

- ▶ All our products carry a 12-month guarantee, this period is initiated at the first use of the products or 15 days after the date of the delivery note, whichever of those happens sooner.
- ▶ The guarantee covers the labour costs and any spare parts which are necessary to repair the product, with the exception of defects caused by the misuse of the product, negligence or non-compliance with the instruction manual.
- ▶ The guarantee shall exclude the transport costs and any defects caused during the transport process until the product is delivered to our Technical Service. The transport shall be covered by the client and it is also the client who should cover the costs of subsequent delivery of a substituted or repaired product.
- ▶ The claims coming from damage or defects caused by the transport process shall only be accepted if the client adds detailed observations of the damages detected at the moment of signing the reception documents. In case said observations were not executed, the client shall not be able to claim the said damages.
- ▶ The guarantee apply in the event that the customer or any third party (except our Technical Support Department) carries out alterations or repairs to the product.
- ▶ The value of the guarantee cannot exceed the price of the product.
- ▶ In case of unavailability of product, GRAM is entitled to replace it with the same model or a superior one.

BUYING CONDITIONS

- ▶ The total amount of an order shall be superior to 70€ (before VAT). No order below this amount will be accepted, except for CERTIFICATES and Repairs.
- ▶ Unless specifically agreed in writing, only orders with confirmation of advance payment will be accepted.

TECHNICAL SUPPORT

- ▶ In order to receive technical support, please contact us:



- ▶ We will only accept packages to be repaired if they are properly identified with a DMA number assigned by Gram. Any unidentified packages shall be rejected.

SHIPMENT AND PACKAGING

- ▶ Transport costs are to be borne by the customer, who assumes the responsibility for the risk of loss or deterioration of the goods during transport.
- ▶ In the event of visible damage upon receipt, reservations or observations must be detailed on the reception document and signed only with these written comments. If these remarks are not made, the carrier may not be liable for such damage.
- ▶ For special transports (sea, etc.) a surcharge will be charged.

PAYMENT CONDITIONS

- ▶ The prices do not include VAT. All supplementary taxes or costs that might increase the price of the product are the responsibility of the customer.
- ▶ The payment will be made in advance, by bank transfer, unless special payment conditions are previously negotiated.

RETURN OF PRODUCTS

- ▶ Items can only be returned if previously confirmed with our Technical Support Department. This confirmation will generate for the client a DMA reference number that will be placed in a visible place on the outside of the packaging.
- ▶ Gram shall reserve the right to reject products for return if we consider the cause of the return is not our responsibility.
- ▶ All costs of revision, testing, packaging and maintenance of returned items will be borne by the customer. Incomplete packaging or in poor condition will also be charged to the customer.
- ▶ All shipment costs will be borne by the customer, irrespective of the reasons of return.
- ▶ Gram shall not accept the return of products without its accessories, user manuals and documents included, which should be appropriately packaged.



Gram Precision S.L.

Travesía Industrial, 11 · 08907 Hospitalet de Llobregat · Barcelona (Spain)

Tel. +34 93 300 33 32

Fax +34 93 300 66 98

global@gram-group.com

www.gram-group.com