ACCUREX

EH



Precision balances

For your lab and quality control.

- Lab scales and quality control.
- Incorporates high-resolution aluminium sensor.
- Backlit LCD display with 21-mm digits.
- Underside weighing for density calculation.
- Large-size weighing plate.
- Keypad with basic functions.

Large-surface plate
Large-surface weighing plate, protected from lateral impact.



Functions


Cumulative tare of receptacles and products.

Calculation of number of pieces.

Technical features

Model	EH-500	EH-1000	EH-2000	EH-3000	EH-6000
Reference	70542	70543	70544	70545	70546
Capacity	500g	1.000g	2.000g	3.000g	6.000g
Resolution	0.01g	0.01g	0.01g	0.1g	0.1g
Linearity	± 0.02 g	± 0.025 g	± 0.03 g	± 0.15 g	± 0.2 g
Reproducibility	± 0.01 g	± 0.015 g	± 0.02 g	± 0.1 g	± 0.15 g
Eccentricity	± 0.02 g	± 0.025 g	± 0.03 g	± 0.25 g	± 0.3 g
Reading time	Less than 1.5 seconds				
Power	220V / 50-60 Hz				
Working temperature	+5°C /+40°C				
Warm-up time	10 minuts				
Calibration	External				
Weighing units	Grams, carat, pieces				
Air humidity	Max 80% without condensation				
Hydrostatic weighing	Underside bracket for hook				
Dim. of weighing plate (mm)	133 x 182			143 x 192	
Product dim. (mm)	225 x 220 x 75			225 x 220 x 80	
Product net weight (g)	1.2				
Packaging dim. (mm)	305 x 245 x 110				
Total weight with packaging (kg)	1.5				

External dimensions (mm)
EH Series



001/28102026

Reliable weighing for everyday operations.